

2022 / 2023



ROYALTECH®

Your Trusted Brand

OFFICE MACHINE POST PRESS FINISHING MACHINE



Hunting Line : 1700-81-9906 (SALES / SERVICES / REPAIR)

ASIA PLUS OFFICE AUTOMATION SDN. BHD.

PAPER CUTTER (Electric / Hydraulic)



RT450V+

SEMI ELECTRIC PAPER CUTTER

Model : ROYALTECH RT450V+
 Cutting Width : 450mm
 Min. Cutting Size : 40mm
 Cutting Thickness : 40mm
 Cutting Precision : ± 0.5mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Manual
 Safety Protection : Yes
 Power Supply : 220V
 Power Consumption : 800W
 Dimensions (LxDxH) : 760 x 670 x 1020 (mm)
 Weight : 100kg



RTE460T

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTE460T
 Max. Cutting Size : 460mm
 Min. Cutting Size : 40mm
 Cutting Thickness Size : 60mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.2kW
 Dimensions (LxDxH) : 935 x 620 x 1235 (mm)
 Weight : 130kg



RTE490T

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTE490T
 Max. Cutting Size : 490mm
 Min. Cutting Size : 40mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.2kW
 Dimensions (LxDxH) : 935 x 740 x 1235 (mm)
 Weight : 150kg



RTE520T

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTE520T
 Max. Cutting Size : 520mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 65mm
 Cutting Precision : ± 0.02mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.3kW
 Dimensions (LxDxH) : 1150 x 810 x 1250 (mm)
 Weight : 250kg



RTE650T

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTE650T
 Max. Cutting Size : 650mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.02mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.5kW
 Dimensions (LxDxH) : 1300 x 950 x 1290 (mm)
 Weight : 290kg



RTE720T

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTE720T
 Max. Cutting Size : 720mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.02mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.5kW
 Dimensions (LxDxH) : 1380 x 1040 x 1290 (mm)
 Weight : 310kg



RTH490TV7

HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH490TV7
 Max. Cutting Size : 490mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.9kW
 Dimensions (LxDxH) : 1180 x 850 x 1370 (mm)
 Weight : 330kg



RTH520TV7

HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH520TV7
 Max. Cutting Size : 520mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 2.3kW
 Dimensions (LxDxH) : 1280 x 1010 x 1430 (mm)
 Weight : 350kg



RTH670TV7

HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH670TV7
 Max. Cutting Size : 670mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 2.3kW
 Dimensions (LxDxH) : 1400 x 1150 x 1460 (mm)
 Weight : 400kg

PAPER CUTTER (Hydraulic)



RTH530HS

HIGH SPEED HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH530HS
 Max. Cutting Size : 530mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 100mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 10.2" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.9kW
 Dimensions (LxDxH) : 1440 x 960 x 1195 (mm)
 Weight : 450kg



RTH680HS

HIGH SPEED HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH680HS
 Max. Cutting Size : 680mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 100mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 10.2" Touch Screen
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 2.3kW
 Dimensions (LxDxH) : 1440 x 1110 x 1370 (mm)
 Weight : 500kg



RTCP670E

DOUBLE HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTCP670E
 Max. Cutting Size : 670mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 10" Touch Screen
 Safety Protection : Yes
 Power Supply : 380V / 50Hz
 Power Consumption : 2.65kW
 Dimensions (LxDxH) : 1460 x 1080 x 1410 (mm)
 Weight : 600kg



RTH720RT

DOUBLE HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTH720RT
 Max. Cutting Size : 720mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic + Manual Foot Paddle
 Paper Pushing Mode : Program-control
 Display Mode : 7.0" Touch Screen
 Safety Protection : Yes
 Side Table : Yes
 Air Table : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 2.7kW
 Dimensions (LxDxH) : 1550 x 1200 x 1460 (mm)
 Weight : 450kg



TOUCH SCREEN



PAPER CUTTING BUTTON




PAPER CLAMP BUTTON



EMERGENCY STOP BUTTON




SAFETY SENSOR




PAPER PUSHER



PROGRAM MODE




CABINET STAND




SAFETY CHANGE BLADE SWITCH



BLADE DEPTH ADJUSTMENT SWITCH





PAPER CLAMP FOOT PADDLE



LASER LIGHT


PAPER CUTTING BLADE



BLADE DEPTH ADJUSTMENT



MINOR SIZE ADJUSTMENT



SOLID TABLE

PAPER CUTTING STICK




PAPER CUTTER (Manual / Electric / Hydraulic)



RT858 (A4)

MANUAL PAPER CUTTER

Model : ROYALTECH RT858 (A4)
 Cutting Width : 315mm
 Cutting Thickness : 0.1 – 30 (mm)
 Cutting Precision : ± 0.02mm
 Safety Lock Knob : Yes
 Side Paper Guard : Yes
 Dimensions (LxDxH) : 610 x 390 x 210 (mm)
 Weight : 17kg



RT858 (A3)

MANUAL PAPER CUTTER

Model : ROYALTECH RT858 (A3)
 Cutting Width : 420mm
 Cutting Thickness : 0.1 – 30 (mm)
 Cutting Precision : ± 0.02mm
 Safety Lock Knob : Yes
 Side Paper Guard : Yes
 Dimensions (LxDxH) : 760 x 540 x 285 (mm)
 Weight : 26.5kg



RT868 (A4)

MANUAL PAPER CUTTER

Model : ROYALTECH RT868 (A4)
 Cutting Width : 315mm
 Cutting Thickness : 0.1 – 30 (mm)
 Cutting Precision : ± 0.02mm
 Safety Lock Knob : Yes
 Side Paper Guard : Yes
 Dimensions (LxDxH) : 590 x 430 x 320 (mm)
 Weight : 27kg



RT868 (A3)

MANUAL PAPER CUTTER

Model : ROYALTECH RT868 (A3)
 Cutting Width : 420mm
 Cutting Thickness : 0.1 – 30 (mm)
 Cutting Precision : ± 0.02mm
 Safety Lock Knob : Yes
 Side Paper Guard : Yes
 Dimensions (LxDxH) : 710 x 525 x 360 (mm)
 Weight : 36kg



RT4660R

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RT4660R
 Max. Cutting Size : 460mm
 Min. Cutting Size : 40mm
 Cutting Thickness Size : 60mm
 Cutting Precision : ± 0.01mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : LCD
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.3kW
 Dimensions (LxDxH) : 930 x 835 x 1210 (mm)
 Weight : 151kg



RT7208R

ELECTRIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RT7208R
 Max. Cutting Size : 720mm
 Min. Cutting Size : 30mm
 Cutting Thickness Size : 80mm
 Cutting Precision : ± 0.01mm
 Paper Pressing Mode : Automatic
 Paper Pushing Mode : Program-control
 Display Mode : LCD
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 1.8kW
 Dimensions (LxDxH) : 1290 x 970 x 1240 (mm)
 Weight : 380kg



RTDH680

DOUBLE HYDRAULIC PROGRAM-CONTROL PAPER CUTTER

Model : ROYALTECH RTDH680
 Max. Cutting Size : 680mm
 Min. Cutting Size : 60mm
 Cutting Thickness Size : 110mm
 Cutting Precision : ± 0.2mm
 Paper Pressing Mode : Hydraulic
 Paper Pushing Mode : Program-control
 Display Mode : LCD
 Safety Protection : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 2.5kW
 Dimensions (LxDxH) : 1380 x 1460 x 1480 (mm)
 Weight : 850kg


PERFECT BINDING MACHINE



RT40A

MANUAL DESKTOP PERFECT BINDING MACHINE

Model	: ROYALTECH RT40A
Max. Binding Length	: 320mm
Max. Binding Thickness	: 250 sheets (70gsm)
Binding Speed	: 200 books / h
Pre-heating	: 20 min
Power Supply	: 220V



RT40SA

SEMI AUTO DESKTOP PERFECT BINDING MACHINE

Model	: ROYALTECH RT40SA
Max. Binding Length	: 320mm
Max. Binding Thickness	: 250 sheets (70gsm)
Binding Speed	: 200 books / h
Pre-heating	: 20 min
Power Supply	: 220V



PERFECT BINDING GLUE



SIDE GLUE



RT30A

MANUAL DESKTOP PERFECT BINDING MACHINE

Model	: ROYALTECH RT30A
Paper Format	: 320 x 288 (mm)
Max. Binding Thickness	: 200 sheets (70gsm)
Cover Thickness	: 50 – 400 (gsm)
Binding Speed	: 100 books / h
Pre-heating	: 20 min
Gluing	: Manual
Spine Roughened	: Manual
Power Supply	: 220V
Dimensions (LxDxH)	: 650 x 350 x 500 (mm)
Weight	: 38kg



RTC50SG (A4)

PERFECT BINDING MACHINE (SIDE GLUE)

Model	: ROYALTECH RTC50SG (A4)
Max. Binding Length	: 340mm
Max. Binding Thickness	: 60mm
Binding Speed	: 300 books / h
Pre-heating	: 25 min
Glue Roller	: Single + Side Glue
Milling Cutter	: Sun Cutter + Small Milling Cutter
Side Glue Function	: Yes
Display Mode	: 7" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 1000 x 590 x 1300 (mm)
Weight	: 230kg



RTC70SG (A3)

PERFECT BINDING MACHINE (SIDE GLUE)

Model	: ROYALTECH RTC70SG (A3)
Max. Binding Length	: 440mm
Max. Binding Thickness	: 60mm
Binding Speed	: 300 books / h
Pre-heating	: 25 min
Glue Roller	: Single + Side Glue
Milling Cutter	: Sun Cutter + Small Milling Cutter
Side Glue Function	: Yes
Display Mode	: 7" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 1000 x 590 x 1650 (mm)
Weight	: 280kg



RTC80SG (A3)

PERFECT BINDING MACHINE (SIDE GLUE + HIGH SPEED)

Model	: ROYALTECH RTC80SG (A3)
Max. Binding Length	: 440mm
Max. Binding Thickness	: 60mm
Binding Speed	: 450 books / h
Pre-heating	: 25 min
Glue Roller	: Single + Side Glue
Milling Cutter	: Sun Cutter + Small Milling Cutter
Side Glue Function	: Yes
Display Mode	: 7" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 1000 x 590 x 1650 (mm)
Weight	: 300kg




PERFECT BIND



BILL BOOK



PERFECT BIND




COVER CLAMPING PART



COVER ADJUSTMENT




EMERGENCY SWITCH



BOOK SPINE ADJUST



ABSORB HOST



TOUCH SCREEN



DUST BAG



COVER STOPPER



COVER TRAY

PERFECT BINDING MACHINE



RT55H (A4)

PERFECT BINDING MACHINE

Model : ROYALTECH RT55H (A4)
 Max. Binding Length : 320mm
 Max. Binding Thickness : 55mm
 Binding Speed : 280 books / h
 Pre-heating : 20 min
 Glue Roller : Single
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Power Supply : 220V
 Dimensions (LxDxH) : 1080 x 460 x 950 (mm)
 Weight : 130kg



RT55H (A3)

PERFECT BINDING MACHINE

Model : ROYALTECH RT55H (A3)
 Max. Binding Length : 420mm
 Max. Binding Thickness : 55mm
 Binding Speed : 280 books / h
 Pre-heating : 20 min
 Glue Roller : Single
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Power Supply : 220V
 Dimensions (LxDxH) : 1300 x 490 x 970 (mm)
 Weight : 150kg



RT60SG (A4)

PERFECT BINDING MACHINE (SIDE GLUE)

Model : ROYALTECH RT60SG (A4)
 Max. Binding Length : 320mm
 Max. Binding Thickness : 60mm
 Binding Speed : 320 books / h
 Pre-heating : 20 min
 Glue Roller : Single + Side Glue
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Side Glue Function : Yes
 Spine Adjustment Mode : LCD
 Display Mode : 7" Touch Screen
 Power Supply : 220V
 Dimensions (LxDxH) : 1280 x 500 x 970 (mm)
 Weight : 157kg



RT60SG (A3)

PERFECT BINDING MACHINE (SIDE GLUE)

Model : ROYALTECH RT60SG (A3)
 Max. Binding Length : 460mm
 Max. Binding Thickness : 60mm
 Binding Speed : 300 books / h
 Pre-heating : 20 min
 Glue Roller : Single + Side Glue
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Side Glue Function : Yes
 Spine Adjustment Mode : System Setting
 Display Mode : 7" Touch Screen
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1610 x 480 x 960 (mm)
 Weight : 193kg



RT60HS (A4)

PERFECT BINDING MACHINE (SIDE GLUE + HIGH SPEED)

Model : ROYALTECH RT60HS (A4)
 Max. Binding Length : 320mm
 Max. Binding Thickness : 60mm
 Binding Speed : 420 books / h
 Pre-heating : 25 min
 Glue Roller : Single + Side Glue
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Side Glue Function : Yes
 Spine Adjustment Mode : LCD
 Display Mode : 7" Touch Screen
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1310 x 600 x 945 (mm)
 Weight : 204kg



RT60HS (A3)

PERFECT BINDING MACHINE (SIDE GLUE + HIGH SPEED)

Model : ROYALTECH RT60HS (A3)
 Max. Binding Length : 420mm
 Max. Binding Thickness : 60mm
 Binding Speed : 420 books / h
 Pre-heating : 45 min
 Glue Roller : Single + Side Glue
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Side Glue Function : Yes
 Spine Adjustment Mode : LCD
 Display Mode : 7" Touch Screen
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1580 x 610 x 1035 (mm)
 Weight : 237kg



RT706SG (A3)

PERFECT BINDING MACHINE (SIDE GLUE)

Model : ROYALTECH RT706SG (A3)
 Max. Binding Length : 460mm
 Max. Binding Thickness : 66mm
 Binding Speed : 350 books / h
 Pre-heating : 35 min
 Glue Roller : Three + Side Glue
 Milling Cutter : Small Milling Cutter + Sun Milling Cutter
 Side Glue Function : Yes
 Spine Adjustment Mode : System Setting
 Display Mode : 5" Touch Screen
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1710 x 560 x 1025 (mm)
 Weight : 251kg

PERFECT BINDING MACHINE



RT60H1 (A3)

SEMI AUTO PERFECT BINDING MACHINE (SIDE GLUE + AUTO FEEDING + CREASING)

Model	: ROYALTECH RT60H1 (A3)
Binding Length	: 110 – 460 (mm)
Binding Thickness	: 4 – 60 (mm)
Cover Length	: 150 – 420 (mm)
Cover Thickness	: 120 – 300 (gsm)
Cover Stacker Capacity	: 98mm
Min. Creasing Thickness	: 4mm
Max. Creasing Thickness	: 60mm
Binding Speed	: 350 books / h
Pre-heating	: 45 min
Glue Roller	: Three + Side Glue
Milling Cutter	: 22 large tooth disc milling cutter
Auto Cover Feeding	: Yes
Auto Creaser	: Yes
Side Glue Function	: Yes
Auto Book Dropping	: No
Display Mode	: 7" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 2280 x 810 x 1300 (mm)
Weight	: 530kg



RT60H2 (A3)

SEMI AUTO PERFECT BINDING MACHINE (SIDE GLUE + AUTO FEEDING + CREASING + AUTO COLLECT)

Model	: ROYALTECH RT60H2 (A3)
Binding Length	: 110 – 460 (mm)
Binding Thickness	: 4 – 60 (mm)
Cover Length	: 150 – 420 (mm)
Cover Thickness	: 120 – 300 (gsm)
Cover Stacker Capacity	: 98mm
Min. Creasing Thickness	: 4mm
Max. Creasing Thickness	: 60mm
Binding Speed	: 400 books / h
Pre-heating	: 45 min
Glue Roller	: Three + Side Glue
Milling Cutter	: 22 large tooth disc milling cutter
Auto Cover Feeding	: Yes
Auto Creaser	: Yes
Side Glue Function	: Yes
Auto Book Dropping	: Yes
Display Mode	: 7" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 2280 x 810 x 1300 (mm)
Weight	: 540kg



RT60H3 (A3)

SEMI AUTO PERFECT BINDING MACHINE (SIDE GLUE + AUTO FEEDING + CREASING + AUTO COLLECT)

Model	: ROYALTECH RT60H3 (A3)
Binding Length	: 110 – 460 (mm)
Binding Thickness	: 4 – 60 (mm)
Cover Length	: 150 – 420 (mm)
Cover Thickness	: 120 – 300 (gsm)
Cover Stacker Capacity	: 98mm
Min. Creasing Thickness	: 4mm
Max. Creasing Thickness	: 60mm
Binding Speed	: 500 books / h
Pre-heating	: 45 min
Glue Roller	: Three + Side Glue
Milling Cutter	: 22 large tooth disc milling cutter
Auto Cover Feeding	: Yes
Auto Creaser	: Yes
Side Glue Function	: Yes
Auto Book Dropping	: Yes
Safety Cover	: Yes
Display Mode	: 10.2" Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 2280 x 810 x 1250 (mm)
Weight	: 560kg



RT50A+ (A4)

PERFECT BINDING MACHINE


Model	: ROYALTECH RT50A+ (A4)
Max. Binding Length	: 380mm
Max. Binding Thickness	: 50mm
Binding Speed	: 250 books / h
Pre-heating	: 20 min
Glue Roller	: Three
Milling Cutter	: Small Milling Cutter + Sun Milling Cutter
Power Supply	: 220V
Dimensions (LxDxH)	: 1290 x 550 x 960 (mm)
Weight	: 175kg



RT50B+ (A3)

PERFECT BINDING MACHINE

Model	: ROYALTECH RT50B+ (A3)
Max. Binding Length	: 420mm
Max. Binding Thickness	: 50mm
Binding Speed	: 250 books / h
Pre-heating	: 20 min
Glue Roller	: Three
Milling Cutter	: Small Milling Cutter + Sun Milling Cutter
Power Supply	: 220V
Dimensions (LxDxH)	: 1280 x 550 x 960 (mm)
Weight	: 190kg



RT60PUR (A3)

PUR PERFECT BINDING MACHINE (PUR)

Model	: ROYALTECH RT60PUR (A3)
Max. Binding Length	: 460mm
Max. Binding Thickness	: 60mm
Binding Speed	: 350 books / h
Milling Cutter	: Slotted Knife
Display Mode	: Touch Screen
Power Supply	: 220V / 50Hz
Dimensions (LxDxH)	: 1500 x 650 x 1040 (mm)
Weight	: 300kg



PERFECT BIND




PERFECT BIND



DISPLAY SCREEN



FUNCTION BUTTON



GLUE PORT



SUN MILLING CUTTER



MILLING CUTTER



SIDE GLUE PORT



BOOK TRAY



DIGITAL BOOK SPINE ADJUSTMENT



GLUE THICKNESS ADJUSTMENT



SPINE PRESSURE ADJUST

BINDING MACHINE (Manual)

(Plastic Comb / Wire / Spiral / Press Binder)



RT118

PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RT118
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 8 pcs (70g)
 Max. Thickness : 250 sheets / 25mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : No
 Dimensions (LxDxH) : 370 x 225 x 160 (mm)
 Weight : 5.5kg



RT2088A

PLASTIC COMB BINDING MACHINE


Model : ROYALTECH RT2088A
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 16 pcs (70g)
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 420 x 350 x 230 (mm)
 Weight : 14kg



RT3088

PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RT3088
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 20 pcs (70g)
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 400 x 320 x 200 (mm)
 Weight : 10kg



RT2400

PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RT2400
 Paper Width : 297mm (A4)
 No. of Punch Dies : 24
 Punching Capacity : 24 pcs (70g)
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 430 x 390 x 150 (mm)
 Weight : 16kg



RT3200A

PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RT3200A
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 28 pcs (70g)
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 410 x 370 x 260 (mm)
 Weight : 15kg



RT9520

WIRE-O BINDING MACHINE 3:1

Model : ROYALTECH RT9520
 Paper Width : 297mm (A4)
 No. of Punch Dies : 34
 Punching Capacity : 15 pcs (70g)
 Max. Thickness : 120 sheets / 14.3mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 395 x 270 x 220 (mm)
 Weight : 11.5kg



RT970

WIRE-O BINDING MACHINE 3:1


Model : ROYALTECH RT970
 Paper Width : 297mm (A4)
 No. of Punch Dies : 40
 Punching Capacity : 18pcs (70g)
 Max. Thickness : 120 sheets / 14.3mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 380 x 330 x 210 (mm)
 Weight : 17kg



RTCW001

COMBO BINDING MACHINE (COMB + WIRE-O 3:1)

Model : ROYALTECH RTCW001
 Paper Width : 297mm (A4)
 No. of Punch Dies : 24 (Comb) / 40 (Wire-O)
 Punching Capacity : 20 pcs (70g)
 Max. Thickness (Comb) : 500 sheets / 51mm
 Max. Thickness (Wire-O) : 120 sheets / 14.3mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 450 x 430 x 270 (mm)
 Weight : 24kg



RTWW001

COMBO BINDING MACHINE (WIRE-O 2:1 + WIRE-O 3:1)

Model : ROYALTECH RTWW001
 Paper Width : 297mm (A4)
 No. of Punch Dies : 27 (2:1) / 40 (3:1)
 Punching Capacity : 20 pcs (70g)
 Max. Thickness (2:1) : 250 sheets / 25.4mm
 Max. Thickness (3:1) : 120 sheets / 14.3mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 580 x 540 x 370 (mm)
 Weight : 24kg

BINDING MACHINE (Manual / Electric) (Plastic Comb / Wire / Spiral / Press Binder)



RTSC15

SPIRAL COIL BINDING MACHINE

Model : ROYALTECH RTSC15
 Paper Width : 297mm (A4)
 No. of Punch Dies : 54
 Punching Capacity : 15 pcs (70g)
 Max. Thickness : 500 sheets / 50.8mm
 Margin Adjustable Range : 2 / 4 / 6 / 8 (mm)
 Adjustable Push Pull Pins : No
 Dimensions (LxDxH) : 400 x 320 x 160 (mm)
 Weight : 9kg



RTSCE49

SEMI ELECTRIC SPIRAL COIL BINDING MACHINE

Model : ROYALTECH RTSCE49
 Paper Width : 297mm (A4)
 No. of Punch Dies : 40
 Punching Capacity : 20 pcs (70g)
 Max. Thickness : 500 sheets / 50.8mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 440 x 530 x 270 (mm)
 Weight : 14kg



RTCOILMAC06

SPIRAL COIL BINDING MACHINE

Model : ROYALTECH RTCOILMAC06
 Paper Width : 297mm (A4)
 No. of Punch Dies : 40
 Punching Capacity : 20 pcs (70g)
 Max. Thickness : 500 sheets / 50.8mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Dimensions (LxDxH) : 530 x 440 x 270 (mm)
 Weight : 14kg



RTEPC21A

ELECTRIC PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RTEPC21A
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 25 pcs (70g)
 Punching Mode : Button / Foot Paddle
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 120W
 Dimensions (LxDxH) : 415 x 370 x 245 (mm)
 Weight : 21.5kg



RTEPC21

ELECTRIC PLASTIC COMB BINDING MACHINE

Model : ROYALTECH RTEPC21
 Paper Width : 297mm (A4)
 No. of Punch Dies : 21
 Punching Capacity : 30 pcs (70g)
 Max. Thickness : 500 sheets / 51mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 120W
 Dimensions (LxDxH) : 430 x 300 x 230 (mm)
 Weight : 24kg



RTEW31

ELECTRIC WIRE-O BINDING MACHINE 3:1

Model : ROYALTECH RTEW31
 Paper Width : 297mm (A4)
 No. of Punch Dies : 34
 Punching Capacity : 30pcs (70g)
 Max. Thickness : 120 sheets / 14.3mm
 Margin Adjustable Range : 2.5 / 4.5 / 6.5 (mm)
 Adjustable Push Pull Pins : Yes
 Power Supply : 220V / 50Hz
 Power Consumption : 120W
 Dimensions (LxDxH) : 430 x 380 x 230 (mm)
 Weight : 24kg



RTCPM600

COMMERCIAL ELECTRIC WIRE-O PUNCHING MACHINE


Model : ROYALTECH RTCPM600
 Max. Working Length : 620mm
 Max. Punching Thickness : 1.8mm
 Working Speed : 82 times / min
 Power Supply : 380V / 50Hz
 Power Consumption : 1.1kW
 Dimensions (LxDxH) : 1080 x 760 x 1260 (mm)
 Weight : 310kg



RTEWC600

HEAVY DUTY ELECTRIC WIRE-O CLOSING MACHINE

Model : ROYALTECH RTEWC600
 Max. Working Length : 600mm
 Working Speed : 250 times / min
 Power Supply : 220V / 50Hz
 Power Consumption : 0.25kW
 Dimensions (LxDxH) : 810 x 610 x 1230 (mm)
 Weight : 80kg



RTDWC520

SEMI AUTO WIRE-O CUTTING & CLOSING MACHINE

Model : ROYALTECH RTDWC520
 Max. Working Width : 520mm
 Min. Working Length : 75mm
 Max. Binding Width : 507mm
 Binding Speed : 20 books / min
 Automatic Cutting Off : Yes
 Automatic Binding : Yes
 Automatic Closing : Yes
 Power Consumption : 1.5kW
 Wire-O Hanger Dimensions : 1220x760x490 (mm)
 Wire-O Hanger Weight : 65kg
 Dimensions (LxDxH) : 1200 x 770 x 1030 (mm)
 Weight : 220kg

DESKTOP / ROLL LAMINATOR



RT330

HOT & COLD DESKTOP LAMINATING MACHINE

Model : ROYALTECH RT330
 Paper Width : 330mm (A3)
 Speed : 0.01m / sec
 Temperature : 100 – 180 °C
 Roller : 4 pcs
 Speed Control : No
 Power Consumption : 560W
 Dimensions (LxDxH) : 500 x 200 x 110 (mm)
 Weight : 8kg



RT330C

HOT & COLD DESKTOP LAMINATING MACHINE

Model : ROYALTECH RT330C
 Paper Width : 330mm (A3)
 Speed : 0.01m / sec
 Temperature : 90 - 160 °C
 Roller : 4 pcs
 Speed Control : No
 Power Consumption : 620W
 Dimensions (LxDxH) : 500 x 245 x 100 (mm)
 Weight : 8.6kg



RT330T

HOT & COLD DESKTOP LAMINATING MACHINE

Model : ROYALTECH RT330T
 Paper Width : 330mm (A3)
 Speed : 0.03 – 0.16m / min
 Temperature : 90 - 160 °C
 Roller : 4 pcs
 Speed Control : Yes
 Power Consumption : 620W
 Dimensions (LxDxH) : 540 x 280 x 125 (mm)
 Weight : 13.8kg



RTBIO330

HOT & COLD DESKTOP LAMINATING MACHINE


Model : ROYALTECH RTBIO330
 Paper Width : 320mm (A3)
 Speed : 0 – 105cm / min
 Temperature : 0 - 140 °C
 Roller : 6 pcs
 Speed Control : Yes
 Power Consumption : 620W
 Dimensions (LxDxH) : 580 x 295 x 140 (mm)
 Weight : 15kg



RT355DR

HOT & COLD DESKTOP ROLL LAMINATING MACHINE

Model : ROYALTECH RT355DR
 Paper Width : ≤ 355mm (14")
 Speed : 1 - 5m / min
 Laminating Thickness : ≤ 5mm
 Temperature : 40 - 140 °C
 Roller : 4 pcs
 Power Supply : AC 220V
 Power Consumption : 120W
 Dimensions (LxDxH) : 500 x 210 x 215 (mm)
 Weight : 6.3kg



RT650M

MANUAL COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT650M
 Paper Width : ≤ 650mm (25")
 Laminating Thickness : ≤ 5mm
 Laminating Length : Unlimited
 Dimensions (LxDxH) : 650 x 200 x 360 (mm)
 Weight : 13kg



RT1000M

MANUAL COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT1000M
 Paper Width : ≤ 1000mm (39")
 Laminating Thickness : ≤ 5mm
 Laminating Length : Unlimited
 Dimensions (LxDxH) : 1180 x 215 x 360 (mm)
 Weight : 23kg



RT1300M

MANUAL COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT1300M
 Paper Width : ≤ 1300mm (51")
 Laminating Thickness : ≤ 5mm
 Laminating Length : Unlimited
 Dimensions (LxDxH) : 1650 x 490 x 480 (mm)
 Weight : 40kg



RT1600M

MANUAL COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT1600M
 Paper Width : ≤ 1600mm (63")
 Laminating Thickness : ≤ 20mm
 Laminating Length : Unlimited
 Dimensions (LxDxH) : 2000 x 410 x 430 (mm)
 Weight : 50kg

ROLL LAMINATOR



RTPE1600C

MANUAL COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RTPE1600C
 Paper Width : ≤ 1600mm (63")
 Laminating Thickness : ≤ 15mm
 Laminating Length : Unlimited
 Speed : 0 – 1000 mm / min
 Power Supply : 220V
 Dimensions (LxDxH) : 1800 x 400 x 1160 (mm)
 Weight : 100kg

**RTPE1520C+
RTPE1620C+**



PNEUMATIC ELECTRIC COLD ROLL LAMINATING MACHINE (AUTO REWIND)

Model	ROYALTECH RTPE1520C+	ROYALTECH RTPE1620C+
Paper Width	≤ 1520mm (59")	≤ 1620mm (63")
Laminating Thickness	≤ 28mm	
Laminating Length	Unlimited	
Temperature	0 – 60 °C	
Max. Speed	10m / min	
Foot Paddle	Yes	
Power Supply	220V	
Dimensions (LxDxH)	1980 x 570 x 1240 (mm)	2000 x 660 x 1300 (mm)
Weight	210kg	260kg



RT360

HOT & COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT360
 Paper Width : ≤ 340mm (13")
 Speed : 0 – 2m / min
 Laminating Thickness : ≤ 5mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Speed Control : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 650W
 Dimensions (LxDxH) : 620 x 520 x 310 (mm)
 Weight : 28kg



RT480

HOT & COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT480
 Paper Width : ≤ 480mm (19")
 Speed : 0 – 2m / min
 Laminating Thickness : ≤ 5mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Speed Control : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1300W
 Dimensions (LxDxH) : 765 x 436 x 270 (mm)
 Weight : 34kg



RT650

HOT & COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT650
 Paper Width : ≤ 635mm (25")
 Speed : 0 – 2m / min
 Laminating Thickness : ≤ 5mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Speed Control : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1800W
 Dimensions (LxDxH) : 910 x 520 x 310 (mm)
 Weight : 40kg



RT1100

HOT & COLD ROLL LAMINATING MACHINE

Model : ROYALTECH RT1100
 Paper Width : ≤ 1050mm (41")
 Speed : 0 – 2m / min
 Laminating Thickness : ≤ 5mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Speed Control : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1600W
 Dimensions (LxDxH) : 1350 x 600 x 1200 (mm)
 Weight : 120kg

ROLL LAMINATOR / Digital 3D Foil Laminator



RTA380FC

HOT & COLD ANTI-CURVE ROLL LAMINATING MACHINE *AUTO REWIND

Model : ROYALTECH RTA380FC
 Paper Width : ≤ 340mm (13")
 Speed : 0 – 3m / min
 Laminating Thickness : ≤ 4mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Rewind : Optional upon request
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1100W
 Dimensions (LxDxH) : 440 x 600 x 500 (mm)
 Weight : 50kg



RTA380FCC

HOT & COLD ANTI-CURVE ROLL LAMINATING MACHINE *AUTO REWIND

Model : ROYALTECH RTA380FCC
 Paper Width : ≤ 340mm (13")
 Speed : 0 – 3m / min
 Laminating Thickness : ≤ 4mm
 Temperature : 0 - 160 °C
 Roller Type : Silicone
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Feed : Yes
 Auto Cut : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1100W
 Dimensions (LxDxH) : 440 x 640 x 500 (mm)
 Weight : 60kg




RTS370FA

FULLY AUTO HOT & COLD ANTI-CURVE ROLL LAMINATING MACHINE (AUTO FEED + AUTO CUT)


Model : ROYALTECH RTS370FA
 Paper Width : ≤ 370mm (14")
 Speed : 0.5 – 5 m / min
 Laminating Thickness : ≤ 0.5 – 3 (mm)
 Temperature : 70 - 110 °C
 Paper Feeding Station Capacity : 2500 sheets / 157gsm
 Paper Feeding Station Height : 500mm
 Display Mode : 5" LCD
 Roller Type : Stainless Steel
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Feed : Yes
 Auto Cut : Yes
 Dimensions (LxDxH) : 1500 x 635 x 1300 (mm)
 Weight : 170kg



ANTI CURVE



AUTO REWIND




AUTO FEED ROLLER




AUTO CUT



AUTO FEED ROLLER




SIDE TRIMMING BLADE




SPEED CONTROL



TEMPERATURE CONTROL




SILICONE ROLLER



STAINLESS STEEL ROLLER



EMERGENCY STOP BUTTON



BELT FEEDING



RT350ARC

SEMI AUTO HIGH SPEED HOT & COLD ANTI-CURVE ROLL LAMINATING MACHINE (AUTO REWIND)

Model : ROYALTECH RT350ARC
 Paper Width : ≤ 350mm (13")
 Speed : 0 – 6m / min
 Temperature : 0 - 160 °C
 Roller Type : Stainless Steel
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Rewind : Yes
 Belt Feeding : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 80W
 Weight : 120kg



RTA390FCC

HOT & COLD ANTI-CURVE ROLL LAMINATING MACHINE (AUTO FEED + AUTO CUT)

Model : ROYALTECH RTA390FCC
 Paper Width : ≤ 340mm (13")
 Speed : 0 – 4m / min
 Laminating Thickness : ≤ 4mm
 Temperature : 0 - 160 °C
 Roller Type : Stainless Steel
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Feed : Yes
 Auto Cut : Yes
 Power Supply : AC 220V / 50, 60Hz
 Power Consumption : 1800W
 Weight : 150kg




RTHR520

HOT & COLD HYDRAULIC ANTI-CURVE ROLL LAMINATING MACHINE

Model : ROYALTECH RTHR520
 Paper Width : ≤ 520mm (20")
 Speed : 0 – 8m / min
 Laminating Thickness : ≤ 4mm
 Temperature : 60 - 140 °C
 Roller Type : Stainless Steel
 Anti-Curve : Yes
 Speed Control : Yes
 Slitting & Perforate blade : Yes
 Auto Rewind : Yes
 Belt Feeding : Yes
 Power Supply : AC 220V
 Dimensions (LxDxH) : 900 x 1390 x 1500 (mm)
 Weight : 300kg

GLUING / NIPPING & PAPER PRESS MACHINE



RTGM460

TABLE TOP GLUING MACHINE

Model : ROYALTECH RTGM460
 Max. Gluing Width : 460mm
 Gluing Speed : 20m / min
 Paper Thickness : 80 – 400 gsm
 Power Supply : 220V
 Power Consumption : 0.25kW
 Dimensions (LxDxH) : 1060 x 380 x 330 (mm)
 Weight : 45kg



RTGM700

HEAVY DUTY GLUING MACHINE

Model : ROYALTECH RTGM700
 Max. Gluing Width : 700mm
 Gluing Speed : 20m / min
 Paper Thickness : 80 – 400 gsm
 Power Supply : 220V
 Power Consumption : 0.37kW
 Dimensions (LxDxH) : 1060 x 370 x 850 (mm)
 Weight : 100kg



RTGM720

STAINLESS STEEL GLUING MACHINE

Model : ROYALTECH RTGM720
 Max. Gluing Width : 720mm
 Gluing Speed : 0 – 40m / min
 Paper Thickness : 80 – 400 gsm
 Power Supply : 220V
 Power Consumption : 120kW
 Dimensions (LxDxH) : 935 x 410 x 360 (mm)
 Weight : 54kg



RTGM720H

STAINLESS STEEL GLUING MACHINE (HEATER)


Model : ROYALTECH RTGM720H
 Max. Gluing Width : 720mm
 Gluing Speed : 0 – 30m / min
 Paper Thickness : 80 – 400 gsm
 Power Supply : 220V
 Power Consumption : 0.15kW
 Dimensions (LxDxH) : 1000 x 430 x 480 (mm)
 Weight : 80kg



RTGM720H+

HEAVY DUTY GLUING MACHINE (HEATER)

Model : ROYALTECH RTGM720H+
 Max. Gluing Width : 720mm
 Gluing Speed : 0 – 30m / min
 Paper Thickness : 80 – 500 gsm
 Power Supply : 220V
 Power Consumption : 5kW
 Dimensions (LxDxH) : 1450 x 400
 Weight : 95kg



RTA600N

PNEUMATIC NIPPING MACHINE

Model : ROYALTECH RTA600N
 Max. Nipping Thickness : 600mm
 Power Supply : 220V
 Power Consumption : 25W
 Dimensions (LxDxH) : 700 x 650 x 1140 (mm)
 Weight : 60kg



RTH500N

HEAVY DUTY NIPPING MACHINE (HEATER)


Model : ROYALTECH RTH500N
 Max. Nipping Thickness : 50mm
 Max. Nipping Length : 450mm
 Power Supply : 220V
 Dimensions (LxDxH) : 750 X 490 X 1050 (mm)
 Weight : 45kg



HARD COVER BINDING GLUE - 4L




JELLY GLUE



RTPPA4

MANUAL PAPER PRESS MACHINE


Model : ROYALTECH RTPPA4
 Max. Press Size : 300 x 215 (mm)
 Max. Press Thickness : 150mm
 Dimensions (LxDxH) : 365 x 210 x 340 (mm)
 Weight : 16kg



RTPPA3

MANUAL PAPER PRESS MACHINE

Model : ROYALTECH RTPPA3
 Max. Press Size : 300 x 425 (mm)
 Max. Press Thickness : 150mm
 Dimensions (LxDxH) : 500 x 310 x 340 (mm)
 Weight : 25kg



RTP4550PP

PNEUMATIC PAPER PRESS MACHINE

Model : ROYALTECH RTP4550PP
 Max. Press Size : 450 x 500 (mm)
 Max. Press Thickness : 550mm
 Dimensions (LxDxH) : 620 x 550 x 1200 (mm)
 Weight : 62kg


HARD COVER MAKER / PHOTOBOOK MAKER



RT8050HC



RTHC500



SEMI AUTO HARD COVER MAKER

Model : ROYALTECH RT8050HC
 Max. Cover Size : 800 x 500 (mm)
 Min. Cover Size : 140 x 140 (mm)
 Speed : 3 – 5 pcs / min
 Power Supply : 220V / 50Hz
 Power Consumption : 0.37kW
 Dimensions (LxDxH) : 1840 x 1250 x 1560 (mm)
 Weight : 650kg

SEMI AUTO HARD COVER MACHINE

Model : ROYALTECH RTHC500
 Max. Cover Size : 500mm
 Min. Cover Size : 140 x 140 (mm)
 Work Speed : 2 – 3 pcs / min
 Power Supply : 220V / 50Hz
 Mainframe Power : 0.37kW
 Dimensions (LxDxH) : 1620 x 780 x 1000 (mm)
 Weight : 260kg



Hold all of your cover paper edges
 in over the boards and glue or
 paste them down.



RT530B

HARD COVER MAKER

Model : ROYALTECH RT530B
 Working Table Size (LxW) : 600 x 520 (mm)
 Board Thickness : 0.5 – 6 (mm)
 Background Light : Yes
 Absorbing Device : Yes
 Trimmer Cutter : Yes
 Fold Edge Unit : Yes
 Power Supply : 220V / 3A
 Dimensions (LxDxH) : 570 x 700 x 230 (mm)
 Weight : 27kg



Hold all of your cover paper edges
 in over the boards and glue or
 paste them down.




RT630B

HARD COVER MAKER

Model : ROYALTECH RT630B
 Working Table Size (LxW) : 980 x 630 (mm)
 Board Thickness : 0.5 – 6 (mm)
 Background Light : Yes
 Absorbing Device : Yes
 Trimmer Cutter : Yes
 Fold Edge Unit : Yes
 Power Supply : 220V / 3A
 Dimensions (LxDxH) : 1110 x 700 x 230 (mm)
 Weight : 37kg

HOT STAMPING MACHINE (Digital Computerized / Manual)




RTCDH13C

COMPUTERIZED DIGITAL HOT STAMPING MACHINE (COMPACT)

Model : ROYALTECH RTCDH13C
 Operating System : Window 7
 Control System : Full auto tech system
 Printable Area : 280 x 380 (mm)
 Font Type : All font type
 Font Size : From 9pt
 Nozzle Head : Japan heater technology
 Position Accuracy : Laser light position reference
 Transmission System : High accuracy bearing system
 Input/output Port : HDMI Port
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 400 x 500 x 420 (mm)
 Weight : 32kg




HARD COVER THESIS



RTCDH13

COMPUTERIZED DIGITAL HOT STAMPING MACHINE

Model : ROYALTECH RTCDH13
 Operating System : Window 7
 Control System : Full auto tech system
 Printable Area : 300 x 400 (mm)
 Font Type : All font type
 Font Size : From 9pt
 Nozzle Head : Japan heater technology
 Position Accuracy : Laser light position reference
 Transmission System : High accuracy bearing system
 Input/output Port : HDMI Port
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 440 x 540 x 460 (mm)
 Weight : 42kg



RTHS350B

DIGITAL HOT STAMPING MACHINE


Model : ROYALTECH RTHS350B
 Max. Feeding Width : 350mm
 Max. Printing Width : 252mm
 Max. Printing Thickness : 3mm / 350gsm
 Printing Length : Unlimited
 Printing Speed : 40 - 200m / h
 Operating System : Windows XP / 7 / 8 / 10
 Resolution DPI : 300 DPI
 Software : Word / Photoshop / AI / Corel Draw
 Transmission Mode : USB
 Power Supply : 200V
 Dimensions (LxDxH) : 650 x 300 x 320 (mm)
 Weight : 15kg



RTAF350

DIGITAL HOT STAMPING MACHINE (AUTO FEED)

Model : ROYALTECH RTAF350
 Max. Feeding Width : 350mm
 Max. Printing Width : 256mm
 Max. Printing Thickness : 80 - 300 gsm
 Printing Length : Unlimited
 Printing Speed : 80m / h
 Operating System : Windows XP / 7
 Resolution DPI : 200 DPI
 Software : Photoshop / ArtCut / Corel Draw
 Transmission Mode : Network interface / USB / SD Card
 Power Supply : 220V
 Dimensions (LxDxH) : 1140 x 650 x 550 (mm)
 Weight : 75kg



RT3050A

DIGITAL HOT STAMPING MACHINE

Model : ROYALTECH RT3050A
 Max. Feeding Width : 350 x 450 (mm)
 Max. Printing Width : 57mm
 Max. Printing Thickness : 30mm
 Printing Length : 150mm
 Printing Speed : 26mm / s
 Operating System : Windows XP / 7
 Resolution DPI : 300 DPI
 Software : Photoshop / ArtCut / Corel Draw
 Transmission Mode : Network interface
 Power Supply : 240V
 Dimensions (LxDxH) : 680 x 630 x 550 (mm)
 Weight : 45kg



RT358

MULTI-FUNCTION HOT STAMPING MACHINE

Model : ROYALTECH RT358
 Effective Area of Electric Plate : 200 x 300 (mm)
 Max. Pressure : 2000kg
 Working Table Size (Adjustable) : 320 x 355 (mm)
 Constant Temperature Range : 0 - 300 °C
 Stamping Speed : 1500 - 2000 pcs / h
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 720 x 670 x 890 (mm)
 Weight : 145kg



HOT STAMPING LETTERING



HOT STAMPING FOIL

HARD COVER MAKER / PHOTOBOOK MAKER



RTBPC380

HARD COVER BOOK PRESSING & CREASING MACHINE


Model : ROYALTECH RTBPC380
 Max. Pressing Size : 360 x 300 (mm)
 Book Block Thickness : 4 – 60 (mm)
 Max Pressure : 2T – 5T
 Power Supply : 380V / 50Hz
 Power : 2.5kW
 Dimensions (LxWxH) : 1300 x 730 x 1580 (mm)
 Weight : 490kg



RTPLF400

PHOTOBOOK LAY FLAT BINDER

Model : ROYALTECH RTPLF400
 Max. Binding Size : 400 x 300 (mm)
 Min. Binding Size : 140 x 140 (mm)
 Binding Paper Thickness : 157 – 450 (gsm)
 Designed Binding Speed : 70 cycles / min
 Type Of Glue : Water-based White Glue
 Display : 7" Touch Screen
 Signature Feeder : Automatic Paper Feeding
 Power : 220V
 Output Power : 2.5kW
 Dimensions (LxWxH) : 1200 x 950 x 1725 (mm)
 Weight : 680kg



RTBCI360

SEMI AUTO HARD COVER BOOK CASE IN MACHINE

Model : ROYALTECH RTBCI360
 Max. Chipboard Size : 353 x 270 (mm)
 Min. Chip board Size : 90 x 60 (mm)
 Book Block Thickness : 60 (mm)
 Work Speed : 7 – 20 pcs / min
 Power Supply : 380V / 50Hz
 Mainframe Power : 1.5kW
 Dimensions (LxDxH) : 1800 x 1000 x 2100 (mm)
 Weight : 540kg



RTVBM18

HIGH SPEED VIBRATION BINDING MACHINE (HEAT)

Model : ROYALTECH RTVBM18
 Photo Book Size : 460mm
 Temperature : 0 – 160 °C
 Power Supply : 220V / 50, 60Hz
 Power Consumption : 0.7kW
 Dimensions (LxDxH) : 700 x 400 x 1450 (mm)



RTAPM18

AUTO HOT & COLD PRESSING MACHINE (BUTTERFLY)


Model : ROYALTECH RTAPM18
 Max. Photo Book Size : 460 x 460 (mm)
 Max. Photo Thickness : 0 – 2.8 (cm)
 Number of Books : 8 books / times
 Hot Pressing Temperature : 0 – 100 °C
 Cold Pressing Temperature : 12 – 20 °C
 Power Supply : 220V / 50, 60Hz
 Power Consumption : 6.5kW
 Dimensions (LxDxH) : 1200 x 1250 x 1420 (mm)
 Weight : 930kg



RTAP530G

ALBUM POLISHING & GILDING MACHINE


Model : ROYALTECH RTAP530G
 Gliding & Polishing Width : 530mm
 Gliding & Polishing Thickness : 60mm
 Gliding Speed : 1.1m / min
 Temperature Range : 0 – 220 °C
 Power Supply : 220V
 Power Consumption : 0.93kW
 Dimensions (LxDxH) : 1100 x 670 x 1360 (mm)
 Weight : 135kg



RTMPB101

MULTIFUNCTION PHOTO BOOK SOLUTION 10 IN 1 (MINI)

Model : ROYALTECH RTMPB101
 Max. Creasing Length : 510mm
 Paper Thickness (Creasing) : 100 – 500 (gsm)
 Trimming Thickness : 5cm
 Pressing Size : 550 x 400 (mm)
 Pressing Height : 20cm
 Album Cover Size : 18" x 24"
 Edge Holding Width : 670mm
 Power Supply : 220V / 50, 60Hz
 Power Consumption : 0.67W
 Dimensions (LxDxH) : 1190 x 880 x 1230 (mm)
 Weight : 294kg




RTF32

FOTOMOUNT ALBUM MAKER

Model : ROYALTECH F32
 Min. Album Size : 50 x 50 (mm)
 Max. Album Size : 310 x 316 (mm)
 Max. Print Size : 321 x 630 (mm)
 Max. Binding Thickness : 80mm
 Dimensions (LxDxH) : 320 x 630 x 510 (mm)
 Weight : 19kg



BONE FOLDER



CHIP BOARD



HARD COVER PAPER



PHOTOBOOK DOUBLE SIDED STICKER A4

Size : 210x310 (mm) / 12"
 Thickness : 1.0mm
 Quantity : 100 pcs / pkt



PHOTOBOOK DOUBLE SIDED STICKER A3

Size : 310x450 (mm) / 18"
 Thickness : 1.0mm
 Quantity : 100 pcs / pkt

BOOK SEWING MACHINE



RTSW340

SEMI-AUTO BOOK SEWING MACHINE

Model : ROYALTECH RTSW340
 Max. Sewing Size : 340 x 310 (mm)
 Min. Sewing Size : 100 x 100 (mm)
 Sewing Speed : 45 cycles / min
 Number of Needle Sets : 8
 Needle Interval : 19mm
 Power Consumption : 0.55kW
 Dimensions (LxDxH) : 960 x 820 x 1300 (mm)
 Weight : 360kg



RTSW460

SEMI AUTO BOOK SEWING MACHINE

Model : ROYALTECH RTSW460
 Max. Sewing Size : 460 x 230 (mm)
 Min. Sewing Size : 150 x 100 (mm)
 Sewing Speed : 85 cycles / min
 Number of Needle Sets : 11
 Needle Interval : 19mm
 Power Consumption : 1.6kW
 Dimensions (LxDxH) : 2300 x 1400 x 1400 (mm)
 Weight : 1100kg



RTSW630

SEMI AUTO BOOK SEWING MACHINE

Model : ROYALTECH RTSW630
 Max. Sewing Size : 630 x 460 (mm)
 Min. Sewing Size : 150 x 100 (mm)
 Sewing Speed : 65 cycles / min
 Number of Needle Sets : 16
 Needle Interval : 19mm
 Power Consumption : 0.55kW
 Dimensions (LxDxH) : 1500 x 1470 x 1445 (mm)
 Weight : 1000kg



RTSW460E

SEMI AUTO BOOK SEWING MACHINE (PROGRAM CONTROL)

Model : ROYALTECH RTSW460E
 Max. Sewing Size : 460 x 310 (mm)
 Min. Sewing Size : 150 x 100 (mm)
 Sewing Speed : 100 cycles / min
 Number of Needle Sets : 11
 Needle Interval : 19mm
 Power Consumption : 1.6kW
 Dimensions (LxDxH) : 2300 x 1400 x 1400 (mm)
 Weight : 1100kg

UV COATING MACHINE



RTUV350

UV COATING MACHINE

Model : ROYALTECH RTUV350
 Coating Width : 350mm
 Coating Thickness : 0.2 – 2 (mm)
 Average Speed : 7.7m / min
 Power Supply : 220V
 Pattern Rollers : Exchangeable
 Dimensions (LxDxH) : 480 x 580 x 740 (mm)
 Weight : 75kg



RTUV480

UV COATING MACHINE

Model : ROYALTECH RTUV480
 Coating Width : 480mm
 Coating Thickness : 0.2 – 2 (mm)
 Average Speed : 7.7m / min
 Power Supply : 220V
 Pattern Rollers : Exchangeable
 Dimensions (LxDxH) : 490 x 680 x 790 (mm)
 Weight : 94kg



RTUV650

UV COATING MACHINE

Model : ROYALTECH RTUV650
 Coating Width : 650mm
 Coating Thickness : 0.2 – 2 (mm)
 Average Speed : 7.7m / min
 Power Supply : 220V
 Pattern Rollers : Exchangeable
 Dimensions (LxDxH) : 490x670x1030 (mm)
 Weight : 110kg



RTMR360UV

MULTI ROLLER UV COATING MACHINE

Model : ROYALTECH RTMR360UV
 Coating Width : 360mm / 14"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 7.7m / min
 Drying Method : Ultraviolet Light (UV)
 Pattern Rollers : 4
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 2.4kW
 Dimensions (LxDxH) : 770 x 860 x 1150 (mm)
 Weight : 170kg



RTMR460UV

MULTI ROLLER UV COATING MACHINE

Model : ROYALTECH RTMR460UV
 Coating Width : 460mm / 18"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 7.7m / min
 Drying Method : Ultraviolet Light (UV)
 Pattern Rollers : 4
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 4.2kW
 Dimensions (LxDxH) : 870 x 850 x 1010 (mm)
 Weight : 190kg



RTMR650UV

MULTI ROLLER UV COATING MACHINE

Model : ROYALTECH RTMR650UV
 Coating Width : 650mm / 24"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 7.7m / min
 Drying Method : Ultraviolet Light (UV)
 Pattern Rollers : 4
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 4.8kW
 Dimensions (LxDxH) : 850 x 1010 x 1130 (mm)
 Weight : 225kg



RTAMR460UV

AUTO MULTI ROLLER UV COATING MACHINE

Model : ROYALTECH RTAMR460UV
 Coating Width : 460mm / 18"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 30m / min
 Drying Method : Ultraviolet Light (UV)
 Pattern Rollers : 4
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 4.2kW
 Dimensions (LxDxH) : 870 x 850 x 1010 (mm)
 Weight : 190kg



RTAMR930UV

AUTO MULTI ROLLER UV COATING MACHINE

Model : ROYALTECH RTAMR930UV
 Coating Width : 930mm / 36"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 30m / min
 Drying Method : Ultraviolet Light (UV)
 Pattern Rollers : 4
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 6.4kW
 Dimensions (LxDxH) : 1180 x 870 x 1345 (mm)
 Weight : 330kg



RTUV810RR

ROLL TO ROLL UV COATING MACHINE

Model : ROYALTECH RTUV810RR
 Coating Width : 810mm / 31"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 12m / min
 Roller Diameter : 60mm
 Drying Method : Ultraviolet Light (UV)
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 4.8kW
 Dimensions (LxDxH) : 1210 x 1200 x 1210 (mm)
 Weight : 350kg

UV COATING MACHINE



RTUVIR460

GLOSSY UV COATING MACHINE

Model : ROYALTECH RTUVIR460
 Coating Width : 460mm
 Coating Thickness : 0.2 – 20 (mm)
 Coating Speed : 0 – 7.7m / min
 Drying Method : Ultraviolet Light (UV) & Infrared Light (IR)
 Operation Method : Electric
 Power Supply : 220V / 50Hz
 Power Consumption : 4.3kW
 Dimensions (LxDxH) : 1140 x 860 x 1070 (mm)
 Weight : 185kg



RTCC650

CRYSTAL UV COATING MACHINE


Model : ROYALTECH RTCC650
 Coating Width : 650mm
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0 – 5m / min
 Drying Method : Ultraviolet Light (UV) & Infrared Light (IR)
 Operation Method : Electric
 Power Supply : 220V / 50Hz
 Power Consumption : 4.6kW
 Dimensions (LxDxH) : 1110 x 1520 x 950 (mm)
 Weight : 225kg



RTVC650

VELVET COATING MACHINE

Model : ROYALTECH RTVC650
 Coating Width : 650mm
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 6m / min
 Drying Method : Infrared Light (IR)
 Operation Method : Electric
 Power Supply : 220V / 50Hz
 Power Consumption : 9kW
 Dimensions (LxDxH) : 1290 x 1690 x 1101 (mm)
 Weight : 230kg



RTAF18

AUTO PAPER FEEDER

Model : ROYALTECH RTAF18
 Max. Paper Size : 450 x 600 (mm)
 Min. Paper Size : 210 x 150 (mm)
 Feeding Speed : 0 – 40 m / min
 Paper Thickness : 150 – 400 (g)
 Operation Method : Electric
 Power Supply : 220V / 50Hz
 Power Consumption : 1kW
 Dimensions (LxDxH) : 1000 x 1280 x 740 (mm)
 Weight : 170kg




RTUV650EX

UV COATING MACHINE (EXTENDED DESIGN)

Model : ROYALTECH RTUV650EX
 Coating Width : 650mm / 24"
 Coating Thickness : 0.2 – 2 (mm)
 Coating Speed : 0.4m / min
 Drying Method : Ultraviolet Light (UV)
 Operation Method : Electric Motor-driven
 Power Supply : 220V / 50Hz
 Power Consumption : 4.7kW
 Dimensions (LxDxH) : 3620 x 970 x 970 (mm)
 Weight : 340kg




UV OIL



UV TEXTURE SAMPLE



UV LAMP



UV TEXTURE SAMPLE

NAME CARD CUTTER/CORNER ROUND CUTTER



RTMF10 (A4)

ELECTRIC MULTI-FUNCTION NAME CARD CUTTER

Model : ROYALTECH RTMF10 (A4)
 Paper Size : 297 x 210 / 295 x 195 (mm)
 Paper Weight : 180 – 350 (gsm)
 Speed : 30 pcs / min
 Max. Paper Capacity : 12 pcs / 3mm
 Long Blade Cutting Size : 40 – 250 (mm)
 Rotary Blade Cutting Size : 90mm
 Power Supply : 260V
 Dimensions (LxDxH) : 590 x 515 x 325 (mm)
 Weight : 19kg



RTMF25 (A3+)

ELECTRIC MULTI-FUNCTION NAME CARD CUTTER

Model : ROYALTECH RTMF25 (A3+)
 Paper Size : 480 x 320 / 420 x 297 / 297 x 210 (mm)
 Paper Weight : 180 – 350 gsm
 Speed : 80 pcs / min
 Max. Paper Capacity : 12 pcs / 3mm
 Long Blade Cutting Size : 40 – 250 (mm)
 Rotary Blade Cutting Size : 90mm
 Power Supply : 260V
 Dimensions (LxDxH) : 710 x 540 x 330 (mm)
 Weight : 23.5kg



RT100B+

HEAVY DUTY ELECTRIC NAME CARD CUTTER

Model : ROYALTECH RT100B+
 Paper Size : 297 x 210 (mm)
 Paper Weight : 100 – 280 (gsm)
 Name Card Size : 90 x 54 (mm)
 Speed : 10 sheets / min
 Power Supply : 220V / 50Hz
 Power Consumption : 18W
 Dimensions (LxDxH) : 520 x 490 x 240 (mm)
 Weight : 4.6kg



RTLPM

LETTER PRESS MACHINE

Model : ROYALTECH RTLPM
 Working Size : 110 x 220 (mm)
 Dimensions (LxDxH) : 640 x 345 x 471 (mm)
 Weight : 28.5kg



RTCR61B

TABLE TOP CORNER ROUND CUTTER

Model : ROYALTECH RTCR61B
 Max. Punching Capacity : 300 sheets (70g)
 Cutting Height : 30mm
 Dimensions (LxDxH) : 300 x 150 x 200 (mm)
 Weight : 2.3kg



RTECR807

HEAVY DUTY ELECTRIC CORNER ROUND CUTTER

Model : ROYALTECH RTECR807
 Cutting Height : 80mm
 Round Angle : 7 knives sizes
 Power Supply : 220V
 Dimensions (LxDxH) : 435 x 300 x 500 (mm)
 Weight : 38kg



NAME CARD BOX

Quantity : 100 pcs / pkt
 Material : PP



RTCR61B BLADE

Size : R3.5, R6, R8, R10



RTECR807 BLADE

Size : R3, R4, R5, R6, R7, R8, R9

ID CARD / EMBOSSING MACHINE



BADGY 200

BADGY ID CARD PRINTER


Model : BADGY 200
 Printing Area : Edge to edge
 Printing Speed : 38 sec / card
 ID Card Size : 54 x 86 (mm)
 Feeder Capacity : 25 pcs
 Output Hopper : 25 pcs
 Software : Evolis Badge Studio
 Input/output Port : USB 2.0
 Power Supply : 220V
 Dimensions (LxDxH) : 147 x 200 x 276 (mm)
 Weight : 1.8kg



RTICCA

HEAVY DUTY ID CARD CUTTER


Model : ROYALTECH RTICCA
 Cutting Size : 54 x 86 (mm)
 Dimensions (LxDxH) : 150 x 175 x 260 (mm)
 Weight : 8kg



RTEM66

MANUAL EMBOSSING MACHINE


Model : ROYALTECH RTEM66
 Size : 85.5 x 55 (mm)
 Emboss Material : PVC
 Character No. : 66
 Character Spacing : 1/7, 1/10 Optional
 Dimensions (LxDxH) : 269 x 339 x 165 (mm)
 Weight : 10kg



RTIDHS

ID CARD HOT STAMPING MACHINE

Model : ROYALTECH RTIDHS
 Stamping Surface Area : 60 x 90 (mm)
 Max. Stamping Height : 40mm
 Working Table Surface Area : 120 x 150 (mm)
 Temperature : 0-300 °C
 Power Supply : 220V
 Dimensions (LxDxH) : 170 x 390 x 350 (mm)
 Weight : 9.5kg



ID CARD PRINTER INK RIBBON



ID PVC A4

PVC MATERIAL INKJET

Size : 200x300 (mm) / A4
 Thickness : 0.15 x 0.46 x 0.15 (mm)
 Color : White
 Quantity : 50 set / pkt



ID PET A4

PET MATERIAL DIGITAL

Size : 200x300 (mm) / A4
 Thickness : 0.15 x 0.46 x 0.15 (mm)
 Color : White
 Quantity : 50 set / pkt



ID CARD PVC




FOLDING MACHINE / BOOKLET MAKER



RT297

ELECTRIC PAPER FOLDING MACHINE


Model : ROYALTECH RT297
 Operate Mode : Manual
 Max. Paper Size : 300 x 432 (mm)
 Min. Paper Size : 100 x 130 (mm)
 Paper Weight : 60 – 120 (gsm)
 Fold Type : Single Fold, Double Fold, Irregular Fold, Letter Fold, Accordion Foil, Gate Fold
 Paper Feed System : Three Roller Friction Feed System
 Max. Stacking Capacity : 400 sheets (70gsm)
 Folding Speed : 80 – 120 sheets / min
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 780 x 490 x 560 (mm)
 Weight : 32kg



RT298A

ELECTRIC PAPER FOLDING MACHINE (AUTO)


Model : ROYALTECH RT298A
 Operate Mode : Automatic
 Max. Paper Size : 300 x 432 (mm)
 Min. Paper Size : 100 x 130 (mm)
 Paper Weight : 60 – 120 (gsm)
 Fold Type : Single Fold, Double Fold, Irregular Fold, Letter Fold, Accordion Foil, Gate Fold
 Paper Feed System : Three Roller Friction Feed System
 Max. Stacking Capacity : 400 sheets (70gsm)
 Folding Speed : 80 – 120 sheets / min
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 780 x 490 x 560 (mm)
 Weight : 32kg



RT305

ELECTRIC PAPER FOLDING MACHINE

Model : ROYALTECH RT305
 Operate Mode : Manual
 Max. Paper Size : 300 x 432 (mm)
 Min. Paper Size : 100 x 130 (mm)
 Paper Weight : 80 – 157 (gsm)
 Fold Type : Single Fold, Double Fold, Irregular Fold, Letter Fold, Accordion Foil, Gate Fold
 Paper Feed System : Three Roller Friction Feed System
 Max. Stacking Capacity : 400 sheets (70gsm)
 Folding Speed : 80 – 120 sheets / min
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 790 x 490 x 525 (mm)
 Weight : 32kg



RT1000

SEMI ELECTRIC BOOKLET MAKER


Model : ROYALTECH RT1000
 Staple Capacity : 12 sheets (70g)
 Folding Capacity : 10 sheets (70g)
 Min. Size Capacity : 197 x 273 (mm)
 Max. Size Capacity : 297 x 420 (mm)
 Staple Orientation : Middle, Side
 Power Supply : 220V / 50Hz
 Power Consumption : 100W
 Speed : 15 books / min
 Dimensions (LxDxH) : 540 x 480 x 220 (mm)
 Weight : 15kg



BOOKLET MAC

ELECTRIC DIGITAL BOOKLET MAKER

Model : ROYALTECH BOOKLET MAC
 Paper Size : 197 x 273(mm) to 297 x 420 (mm)
 Max. Capacity : 14 sheets (70g)
 Left Right Margin : 1mm
 Productivity : Staple / Fold & Staple
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 575 x 450 x 215 (mm)
 Weight : 40kg



RTWB160

ELECTRIC DESKTOP WIRE BOOKLET MAKER


Model : ROYALTECH RTWB160
 Paper Size : 210 x 148 (mm) to 460 x 330 (mm)
 Cover Thickness : 50 – 250 (gsm)
 Max. Capacity : 20 sheets (70g) / 8 sheets (157g)
 Speed : 23 books / min
 Productivity : Stitching / Fold & Stitching
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1390 x 540 x 630 (mm)
 Weight : 113kg



RTWB180

ELECTRIC WIRE BOOKLET MAKER

Model : ROYALTECH RTWB180
 Paper Size : 210 x 148 (mm) to 460 x 330 (mm)
 Cover Thickness : 50 – 250 (gsm)
 Max. Capacity : 20 sheets (70g) / 8 sheets (157g)
 Speed : 28 books / min
 Productivity : Stitching / Fold & Stitching
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1390 x 580 x 940 (mm)
 Weight : 122kg




RTASC2000

ELECTRIC AUTO STITCHING & CUTTING MACHINE (BOOKLET)

Model : ROYALTECH RTASC2000
 Paper Size : 210 x 148 (mm) to 480 x 330 (mm)
 Cover Thickness : 50 – 250 (gsm)
 Max. Capacity : 20 sheets (70g) / 7 sheets (157g)
 Speed : 25 books / min
 Trimming Thickness : 40 sheets (70g)
 Trimming Speed : 1300 books / h (A4 / 70g)
 Productivity : Stitching / Fold & Stitching / Fold, Stitching & Trim
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1500 x 580 x 950 (mm)
 Weight : 260kg

CREASING / PERFORATING MACHINE



RTC360 (A3)

MANUAL CREASING MACHINE

Model : ROYALTECH RTC360(A3)
 Working Width : 350mm
 Working Thickness : < 0.36mm
 Impress Width : 1.3mm
 Impress Thickness : 0.4mm
 Dimensions (LxDxH) : 600 x 380 x 130 (mm)
 Weight : 9kg



RTC480 (A2)

MANUAL CREASING MACHINE

Model : ROYALTECH RTC480(A2)
 Working Width : 470mm
 Working Thickness : < 0.36mm
 Impress Width : 1.3mm
 Impress Thickness : 0.4mm
 Dimensions (LxDxH) : 600 x 555 x 125 (mm)
 Weight : 12kg



RTMF360 (A3)

MANUAL MULTI-FUNCTION CREASING & PERFORATING MACHINE

Model : ROYALTECH RTMF360
 Working Width : 360mm
 Working Length : 460mm
 Working Thickness : Up to 50mm
 Dimensions (LxDxH) : 450 x 555 x 190(mm)
 Weight : 7kg



RT460SA

SEMI AUTO CREASING / PERFORATING & SLITTING MACHINE

Model : ROYALTECH RT460SA
 Feeding Method : Semi Auto
 Paper Width : 460mm (18")
 Paper Thickness : 450gsm
 Dimensions (LxDxH) : 500 x 300 x 180 (mm)
 Weight : 9.9kg



RT600CPS

ELETRIC MULTI FUNCTION CREASING / PERFORATING & SLITTING MACHINE


Model : ROYALTECH RT600CPS
 Feeding Method : Semi Auto
 Max. Cutting Width : 600mm (23.5")
 Min. Cutting Width : 10mm
 Speed : Adjustable
 Weight : 65kg



RTECP330

ELECTRIC CREASING & PERFORATING MACHINE

Model : ROYALTECH RTECP330
 Max. Paper Size : 330 x 3000 (mm)
 Paper Thickness (Creasing) : 80 – 400 (gsm)
 Paper Thickness (Perforate) : 80 – 250 (gsm)
 Creasing Speed : 3000 sheets / h (A4 Single Line)
 Creasing Line Width : 0.9mm
 Program System : 32 set
 Max. Crease / Perforate Line Setting : 32
 Paper Feeding Mode : Manual
 Display Mode : Touch Screen
 Crease Accuracy : ± 0.1mm
 Dimensions (LxDxH) : 1200 x 610 x 420 (mm)
 Weight : 53kg



RTDC365FA

ELECTRIC FULLY AUTO CREASING & PERFORATING MACHINE

Model : ROYALTECH RTDC365FA
 Max. Paper Size : 330 x 3000 (mm)
 Paper Thickness (Creasing) : 80 – 400 (gsm)
 Paper Thickness (Perforate) : 80 – 250 (gsm)
 Creasing Speed : 4500 sheets / h (A4 Single Line)
 Creasing Line Width : 1.0mm
 Max. Crease / Perforate Line Setting : 32
 Paper Feeding Mode : Vacuum feeding
 Paper Feeding Tray Capacity : 70mm
 Display Mode : Touch Screen
 Crease Accuracy : ± 0.1mm
 Dimensions (LxDxH) : 1280 x 600 x 465 (mm)
 Weight : 65kg



RTC365FA

ELECTRIC FULLY AUTO CREASING & PERFORATING MACHINE

Model : ROYALTECH RTC365FA
 Max. Paper Size : 330 x 3000 (mm)
 Paper Thickness (Creasing) : 80 – 400 (gsm)
 Paper Thickness (Perforate) : 80 – 250 (gsm)
 Creasing Speed : 6000 sheets / h (A4 Single Line)
 Creasing Line Width : 1.0mm
 Max. Crease / Perforate Line Setting : 32
 Paper Feeding Mode : Vacuum feeding
 Paper Feeding Tray Capacity : 90mm
 Display Mode : Touch Screen
 Crease Accuracy : ± 0.1mm
 Dimensions (LxDxH) : 1660 x 620 x 1040 (mm)
 Weight : 120kg



RTA6590CF

ELECTRIC FULLY AUTO CREASING & FOLDING MACHINE

Model : ROYALTECH RTA6590CF
 Paper Thickness (Creasing) : 80 – 450 (gsm)
 Paper Thickness (Folding) : < 350 gsm
 Min. Paper Size : 60 x 135 (mm)
 Max. Paper Size : 330 x 3000 (mm)
 Paper Type : Non coated paper, coated paper, laminated paper
 Speed (Creasing) : 6000 sheets / h (A4 Single Line)
 Speed (Folding) : 6000 sheets / h (A4 Single Fold)
 Crease Line Width : 1.0mm
 Crease Accuracy : ± 0.2mm
 Feeding : Vacuum feeding
 Dimensions (LxDxH) : 3100 x 620 x 1035 (mm)
 Weight : 250kg

PAPER DRILLER / HOLE PUNCHER



RT210A DOUBLE END ELECTRIC PAPER DRILLING MACHINE


Model : ROYALTECH RT210A
 Max. Drilling Capacity : 500 sheets (70g)
 Hole Diameter : 3 – 9 (mm)
 Punch Hole : Adjustable
 Power Supply : 220V / 50Hz
 Power Consumption : 750W
 Dimensions (LxDxH) : 850 x 750 x 740 (mm)
 Weight : 120kg



RT150

ELECTRIC PAPER DRILLING MACHINE

Model : ROYALTECH RT150
 Max. Drilling Capacity : 500 sheets (70g)
 Hole Diameter : 2 – 10 (mm)
 Punch Hole : Adjustable
 Power Supply : 220V / 50Hz
 Power Consumption : 120W
 Dimensions (LxDxH) : 500 x 450 x 550 (mm)
 Weight : 50kg



RT205

ELECTRIC PAPER DRILLING MACHINE

Model : ROYALTECH RT205
 Max. Drilling Capacity : 500 sheets (70g)
 Hole Diameter : 3 – 8 (mm)
 Punch Hole : Adjustable
 Power Supply : 220V / 50Hz
 Power Consumption : 120W
 Dimensions (LxDxH) : 540 x 340 x 600 (mm)
 Weight : 17kg



RT210

MULTIPLE HOLE HIGH SPEED ELECTRIC PAPER DRILLING MACHINE

Model : ROYALTECH RT210
 Max. Drilling Capacity : 500 sheets (70g)
 Hole Diameter : 3 – 9 (mm)
 Punch Hole : Adjustable (8 Holes)
 Power Supply : 220V / 50Hz
 Power Consumption : 250W
 Dimensions (LxDxH) : 855 x 410 x 570 (mm)
 Weight : 55kg



RTDS100

ELECTRIC DRILLING & STITCHING MACHINE

Model : ROYALTECH RTDS100
 Max. Drilling Capacity : 100mm
 Hole Diameter : 4mm
 Punch Hole : Adjustable
 Power Supply : 220V
 Power Consumption : 150W
 Weight : 8kg

PAPER DRILLER / HOLE PUNCHER



RTDB40

ELECTRIC DRILLING & BINDING MACHINE


Model : ROYALTECH RTDB40
 Max. Drilling Capacity : 40mm
 Hole Diameter : 6mm
 Tube Diameter : 5.5mm
 Pre-heating : 2- 4 min
 Power Supply : 220V
 Dimensions (LxDxH) : 420 x 310 x 440 (mm)
 Weight : 12kg




RTDB50

ELECTRIC DRILLING & BINDING MACHINE

Model : ROYALTECH RTDB50
 Max. Drilling Capacity : 50mm
 Hole Diameter : 6mm
 Tube Diameter : 5.2mm
 Pre-heating : 2- 4 min
 Power Supply : 220V
 Dimensions (LxDxH) : 516x480x380 (mm)
 Weight : 17kg



PLASTIC TUBE



RT9330

MANUAL 2-HOLE PUNCHER

Model : ROYALTECH RT9330
 Max. Drilling Capacity : 190 sheets (70g)
 Hole Diameter : 6mm
 Hole Distance : 80mm
 Weight : 4kg



RT953

MANUAL 3-HOLE PUNCHER

Model : ROYALTECH RT953
 Max. Drilling Capacity : 150 sheets (70g)
 Hole Diameter : 6mm
 Weight : 6kg



RT954

MANUAL 4-HOLE PUNCHER

Model : ROYALTECH RT954
 Max. Drilling Capacity : 150 sheets (70g)
 Hole Diameter : 6mm
 Weight : 8kg



DRILL BIT

DRILL BIT (ELECTRIC)

Size : 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 (mm)



MANUAL PUNCHER BLADE

DRILL BIT (MANUAL)

Size : 6 / 7 (mm)

PAPER DRILLER / HOLE PUNCHER



RTSCM340FA

FULLY AUTO STICKER CUTTING MACHINE

Model : ROYALTECH RTSCM340FA
 Paper Size : 13" x 19" (A3+)
 Max. Paper Feeding Width : 350mm
 Max. Paper Cutting Width : 340mm
 Feeding Capacity : 100 pcs / 18mm
 Cutting Force : 30 – 800 (gsm)
 Cutting Speed : 800 mm / s
 Cutting Precision : < ± 0.1mm
 Feeding Mode : Auto Feed
 Position Mode : Registration Mark
 Software : Coreldraw / Adobe Illustrator
 Interface : USB / Pendrive
 Power Supply : 220V
 Dimensions (LxDxH) : 765 x 570 x 365 (mm)
 Weight : 25kg



RTSCM330HS

HIGH SPEED FULLY AUTO STICKER CUTTING MACHINE (CAMERA SENSOR)

Model : ROYALTECH RTSCM330HS
 Paper Size : 13" x 19" (A3+)
 Max. Paper Feeding Width : 330mm
 Max. Paper Cutting Width : 310mm
 Feeding Capacity : 100 pcs / 18mm
 Cutting Force : 10 – 1000 (gsm)
 Cutting Speed : 1000 mm / s
 Cutting Precision : < ± 0.025mm
 Feeding Mode : Auto Feed
 Display Mode : Touch Screen
 Position Mode : Registration Mark
 Software : SignMaster
 Interface : USB / Pendrive
 Power Supply : 220V
 Dimensions (LxDxH) : 810 x 540 x 340 (mm)
 Weight : 28kg



RTSCM330RTR

ROLL TO ROLL STICKER CUTTING MACHINE (CAMERA SENSOR)

Model : ROYALTECH RTSCM330RTR
 Max. Paper Feeding Width : 330mm
 Max. Paper Cutting Length : Unlimited
 Max. Paper Roll Diameter : 450mm
 Cutting Force : 10 – 1000 (gsm)
 Cutting Speed : 800 mm / s
 Cutting Precision : < ± 0.025mm
 Feeding Mode : Roll To Roll
 Display Mode : Touch Screen
 Position Mode : Registration Mark
 Software : SignMaster
 Interface : USB / Pendrive
 Power Supply : 220V
 Dimensions (LxDxH) : 1172 x 872 x 1007 (mm)
 Weight : 132kg



RTDHSCM24 / RTDHSCM48

DUAL HEAD STICKER CUTTING MACHINE

Model	ROYALTECH RTDHSCM24	ROYALTECH RTDHSCM48
Max. Paper Feeding Width	720mm	1350mm
Max. Paper Cutting Width	560mm	1190mm
Max. Paper Cutting Width (Dual Head)	450mm	1080mm
Feeding Capacity	Manual	
Cutting Force	2000 (gsm)	
Cutting Speed	700 (mm / s)	
Cutting Precision	< ± 0.01mm	
Position Mode	Registration Mark	
Software	SignMaster	
Interface	USB / Pendrive	
Power Supply	220V	
Dimensions (LxDxH)	1000 x 360 x 380 (mm)	1620 x 360 x 380 (mm)
Weight	21kg	42kg



RTDH4560FP / RTDH6090FP

DUAL HEAD FLATBED PLOTTER

Model	ROYALTECH RTDH4560FP	ROYALTECH RTDH6090FP
Max. Cutting Area	450 x 600 (mm)	600 x 900 (mm)
Cutting Force	2000 gsm	
Cutting Speed	800 mm / s	
Cutting Precision	< ± 0.01mm	
Display Mode	Touch Screen	
Adsorption Method	Vacuum	
Interface	USB / Pendrive	
Power Supply	220V	
Dimensions (LxDxH)	1050 x 900 x 1020 (mm)	1370 x 1020 x 1020 (mm)
Weight	180kg	200kg



RTSCM (A3)

STICKER CUTTING MACHINE

Model : ROYALTECH RTSCMA3
 Max. Cutting Area : 305 x 305 (mm) with cutting mat
 Maximum Media Thickness : 2mm
 Maximum Cutting Force : 210gf
 Compatible Media Types : Vinyl, Heat Transfer Material, Cardstock, Photo Paper, Copy Paper, Rhinestone Template Material, Fabric
 Interface : USB 2.0 High-speed
 Dimensions (LxDxH) : 572 x 152 x 216 (mm)
 Weight : 4kg



CREASING BLADE HOLDER



STICKER CUTTING BLADE HOLDER



STICKER CUTTING BLADE 45° & 60°




STICKER CUTTING STRIP



CAMEO RATCHET BLADE



CAMEO AUTO BLADE



CAMEO MATT

HEAT TRANSFER MACHINE



RTHTM

HEAT TRANSFER MACHINE (MUG)

Model : ROYALTECH RTHTM
 Temperature Range : 200 – 450 °C
 Time Range : 0 – 999 sec
 Power Supply : 220V
 Power Consumption : 350W
 Dimensions (LxDxH) : 340 x 340 x 300 (mm)
 Weight : 7kg



RTHTM5

HEAT TRANSFER MACHINE (MUG)~

Model : ROYALTECH RTHTM5
 Temperature Range : 0 – 399 °C
 Time Range : 0 – 399 sec
 Power Supply : 220V
 Power Consumption : 1400W
 Dimensions (LxDxH) : 840 x 380 x 350 (mm)
 Weight : 25kg



RTHTT

HEAT TRANSFER MACHINE (T-SHIRT)

Model : ROYALTECH RTHTT
 Working Space : 380 x 380 (mm)
 Temperature Range : 0 – 299 °C
 Time Range : 0 – 999 sec
 Power Supply : 220V
 Power Consumption : 1800W
 Dimensions (LxDxH) : 750 x 455 x 450 (mm)
 Weight : 25.5kg



RT5IN1

5 IN 1 MULTI FUNCTION HEAT TRANSFER MACHINE

Model : ROYALTECH RT5IN1
 Temperature Range : 0 – 399 °C
 Time Range : 0 – 60 S
 T-Shirt Press : One
 Plate Press : Two
 Mug Press : One
 Cap Press : One
 Weight : 35kg



RT8IN1

8 IN 1 MULTI FUNCTION HEAT TRANSFER MACHINE

Model : ROYALTECH RT8IN1
 Temperature Range : 0 – 399 °C
 Time Range : 0 – 60 S
 T-Shirt Press : One
 Plate Press : Two
 Mug Press : Four
 Cap Press : One
 Weight : 40kg




HEAT TRANSFER PAPER



COATED MUG



MAGIC COATED MUG



PU VINYL



HEAT PRESS TAPE

BUTTON BADGE MACHINE



RTBB58

BUTTON BADGE MACHINE

Model : ROYALTECH RTBB58
Weight : 8kg



RTBBM32

BUTTON BADGE MOULD

Model : ROYALTECH RTBBM32
Size : 32mm
Weight : 2kg



RTBBM44

BUTTON BADGE MOULD

Model : ROYALTECH RTBBM44
Size : 44mm
Weight : 2kg



RTBBM58

BUTTON BADGE MOULD

Model : ROYALTECH RTBBM58
Size : 58mm
Weight : 2kg



RTBBM75

BUTTON BADGE MOULD

Model : ROYALTECH RTBBM75
Size : 75mm
Weight : 2kg



RTRD32

MANUAL ROUND DIECUT

Model : ROYALTECH RTRD32
Cutting Size : 43.5mm
Button Badge Size : 32mm
Dimensions (LxDxH) : 230 x 250 x 180 (mm)
Weight : 5kg



RTRD44

MANUAL ROUND DIECUT

Model : ROYALTECH RTRD44
Cutting Size : 54mm
Button Badge Size : 44mm
Dimensions (LxDxH) : 230 x 250 x 180 (mm)
Weight : 5kg



RTRD58

MANUAL ROUND DIECUT

Model : ROYALTECH RTRD58
Cutting Size : 69.5mm
Button Badge Size : 58mm
Dimensions (LxDxH) : 230 x 250 x 180 (mm)
Weight : 5kg



RTRD75

MANUAL ROUND DIECUT

Model : ROYALTECH RTRD75
Cutting Size : 86mm
Button Badge Size : 75mm
Dimensions (LxDxH) : 230 x 250 x 180 (mm)
Weight : 8kg



BUTTON BADGE MATERIAL

BUTTON BADGE MATERIAL

Size : 32mm, 44mm, 58mm, 75mm
Quantity : 100 pcs / pkt
Packing Includes : Shell, Pin back, Mylar



BUTTON BADGE KEYCHAIN MATERIAL

BUTTON BADGE MATERIAL

Size : 44mm, 58mm
Quantity : 100 pcs / pkt
Packing Includes : Shell, Mylar, Keychain



BUTTON BADGE FRIDGE MAGNET MATERIAL

BUTTON BADGE MATERIAL

Size : 44mm, 58mm
Quantity : 100 pcs / pkt
Packing Includes : Shell, Mylar, Magnet



BUTTON BADGE FRIDGE MAGNET OPENER MATERIAL

BUTTON BADGE MATERIAL

Size : 58mm
Quantity : 100 pcs / pkt
Packing Includes : Shell, Mylar, Magnet with opener

FLASH STAMP MACHINE



RTAFS26

FLASH STAMP MACHINE
 Model : ROYALTECH RTAFS26
 Max. Output Power : 2600J
 Max. Charging Time : 30 sec
 Exposure Voltage Range : 360 – 400 V
 Exposure Range : 110 x 70 (mm)
 Rubber Size : 100 x 65 (mm)
 Resolution : 0.0256mm
 Exposure Lamp Quantity : 3 (Straight)
 Exposure Lamp Length : 15cm
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 380 x 154 x 190 (mm)
 Weight : 8kg



RTAFS26A

FLASH STAMP MACHINE (AUTO FLASH)
 Model : ROYALTECH RTAFS26A
 Max. Output Power : 2600J
 Max. Charging Time : 30 sec
 Exposure Voltage Range : 360 – 400 V
 Exposure Range : 110 x 70 (mm)
 Rubber Size : 100 x 65 (mm)
 Resolution : 0.0256mm
 Exposure Lamp Quantity : 2 (Straight)
 Exposure Lamp Length : 15cm
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 380 x 180 x 155 (mm)
 Weight : 8kg



RTAFS36A

FLASH STAMP MACHINE (AUTO FLASH)
 Model : ROYALTECH RTAFS36A
 Max. Output Power : 3600J
 Max. Charging Time : 30 sec
 Exposure Voltage Range : 360 – 400 V
 Exposure Range : 50 x 80 (mm)
 Exposure Lamp Quantity : 3 (Straight)
 Exposure Lamp Length : 13cm
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 360 x 145 x 210 (mm)
 Weight : 8kg



EXPOSURE FILM & PARCHMENT PAPER

Quantity : 100 pcs / pkt



LASER ENGRAVING MACHINE



RTLE2010

LASER ENGRAVING MACHINE
 Model : ROYALTECH RTLE2010
 Engrave Area : 300 x 200 (mm)
 Laser Tube Power : 50W
 Engrave Precision (Numbering) : 1 x 1 (mm)
 Engraving Speed : 0 – 500 mm / s
 Power Supply : 220V / 50Hz
 Power Consumption : 130W
 Dimensions (LxDxH) : 900 x 500 x 265 (mm)
 Weight : 26kg



RTLE6040

LASER ENGRAVING MACHINE
 Model : ROYALTECH RTLE6040
 Engrave Area : 600 x 400 (mm)
 Laser Tube Power : 80W
 Engrave Precision (Numbering) : 1 x 1 (mm)
 Engraving Speed : 0 – 800 mm / sec
 Power Supply : 220V / 50Hz
 Power Consumption : 380W
 Dimensions (LxDxH) : 1385 x 740 x 640 (mm)
 Weight : 80kg



RTLE9013

LASER ENGRAVING MACHINE
 Model : ROYALTECH RTLE9013
 Engrave Area : 1300x900 (mm)
 Laser Tube Power : 80W
 Engrave Precision (Numbering) : 1x1 (mm)
 Engraving Speed : 0 – 800 mm / sec
 Power Supply : 220V / 50Hz
 Power Consumption : 500W
 Dimensions (LxDxH) : 1880 x 1300 x 1120 (mm)
 Weight : 500kg



TIME RECORDER / FINGERPRINT (Analog / Digital)



RT3300A

ELECTRONIC TIME RECORDER (ANALOG)

Model : ROYALTECH RT3300A
 Power Supply : AC 110V / 60Hz
 Power Consumption : 0.05A – 0.15A
 Temperature Range : 0 – 40 °C
 Humidity Range : 20 – 80 % RH
 Dimensions (LxDxH) : 190x125x240 (mm)
 Weight : 3kg

- Back-up Battery
- Two Color Printing
- Auto Card Feed/Eject
- Auto Column Printing
- Perpetual Calendar
- Security Lock With Key
- 6 Column In/Out Printing
- Flexible Daily Programming
- Melody/External Siren



RT3300D

ELECTRONIC TIME RECORDER (DIGITAL)

Model : ROYALTECH RT3300D
 Power Supply : AC 110V / 60Hz
 Power Consumption : 0.05A – 0.15A
 Temperature Range : 0 – 40 °C
 Humidity Range : 20 – 80 % RH
 Dimensions (LxDxH) : 190x125x240 (mm)
 Weight : 3kg

- Back-up Battery
- Two Color Printing
- Auto Card Feed/Eject
- Auto Column Printing
- Perpetual Calendar
- Security Lock With Key
- 6 Column In/Out Printing
- Flexible Daily Programming
- Melody/External Siren



RT3500N

ELECTRONIC TIME RECORDER (ANALOG)

Model : ROYALTECH RT3500N
 Power Supply : AC 110, 120V / 50, 60Hz
 Power Consumption : 70 – 400 MA
 Temperature Range : 10 – 40 °C
 Humidity Range : 10 – 90 % RH
 Dimensions (LxDxH) : 190x127x224 (mm)
 Weight : 2.3kg

- Back-up Battery
- Two Color Printing
- Auto Card Feed/Eject
- Auto Column Printing
- Security Lock With Key
- 6 Column In/Out Printing
- Flexible Daily Programming



RTFP1

FINGERPRINT (FACE DETECT)

Model : ROYALTECH RTFP1
 Record Capacity (Face) : 1000
 Record Capacity (Finger) : 3000
 Storage Capacity : 300000
 Communication : USB, TCP/IP
 Identification Mode : Fingerprint / Password / Face Detect
 Language : English / Chinese
 Temperature Range : 0 – 45 °C
 Humidity Range : 20 – 60 %
 Power Supply : 12V
 Power Consumption : 5W
 Dimensions (LxDxH) : 170 x 35 x 150 (mm)
 Weight : 3kg

- Back-up Battery
- U-Disk To Download Data
- Variety Time Attendance Reports



RTFP2

FINGERPRINT

Model : ROYALTECH RTFP2
 Record Capacity : 2000
 Storage Capacity : 100000
 Communication : USB / TCP
 ID Card Function : Optional With Extra Cost
 Identification Mode : Fingerprint / Password / ID Card (Optional)
 Language : English / Chinese
 Temperature Range : 0 – 45 °C
 Humidity Range : 20 – 60 %
 Power Supply : 12V
 Power Consumption : 5W
 Dimensions (LxDxH) : 165 x 35 x 110 (mm)
 Weight : 1.8kg

- Back-up Battery
- U-Disk To Download Data
- Variety Time Attendance Reports



RTFP3

FINGERPRINT

Model : ROYALTECH RTFP3
 Record Capacity : 1500
 Storage Capacity : 1500
 Communication : USB / TCP
 ID Card Function : Optional With Extra Cost
 Identification Mode : Fingerprint / Password / ID Card (Optional)
 Language : English / Chinese
 Temperature Range : 0 – 45 °C
 Humidity Range : 20 – 60 %
 Power Supply : 12V
 Power Consumption : 5W
 Dimensions (LxDxH) : 160 x 30 x 110 (mm)
 Weight : 1.3kg

- Back-up Battery
- U-Disk To Download Data
- Variety Time Attendance Reports



PUNCH CARD
Quantity : 100 pcs / pkt



RIBBON



PUNCH CARD RACK
Slot : 25's / 50's

PAPER SHREDDER



RT515CD

PAPER SHREDDER

Model	: ROYALTECH RT515CD
Insertion Width	: 220mm
Cutting Type	: Cross Cut
Shred Size	: 4 x 35 (mm)
Shred Capacity	: 5 sheets (A4, 70g)
Staple Safe	: Yes
Credit Card Safe	: Yes
CD Safe	: Yes
Noise Level	: 65db
Bin Size	: 15L
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 2m / min
Thermal / Overload	: Yes
Protection	
Auto Stop & Reverse	: Yes
When Paper Jam	
Power Consumption	: 90W
Dimensions (LxDxH)	: 300 x 200 x 360 (mm)
Weight	: 4.5kg



RT SUPERSTAR

PAPER SHREDDER

Model	: ROYALTECH RT SUPERSTAR
Insertion Width	: 220mm
Cutting Type	: Cross Cut
Shred Size	: 3 x 15mm
Shred Capacity	: 8 sheets (A4, 70g)
Staple Safe	: Yes
Noise Level	: 56db
Bin Size	: 15L
Full Basket Warning	: Yes
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 3.0m / min
Thermal / Overload	
Protection	: Yes
Auto Stop & Reverse	
When Paper Jam	: Yes
Power Consumption	: 90W
Dimensions (LxDxH)	: 350x240x460 (mm)
Weight	: 8.5kg



RT1225CD

PAPER SHREDDER

Model	: ROYALTECH RT1225CD
Insertion Width	: 220mm
Cutting Type	: Cross Cut
Shred Size	: 4 x 35 (mm)
Shred Capacity	: 12 sheets (A4, 70g)
Paper Clip Safe	: Yes
Staple Safe	: Yes
Credit Card Safe	: Yes
CD Safe	: Yes
Noise Level	: 60db
Bin Size	: 25L
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 2.2m / min
Thermal / Overload	: Yes
Protection	
Auto Stop & Reverse	: Yes
When Paper Jam	
Dimensions (LxDxH)	: 360 x 244 x 464 (mm)
Weight	: 6.8kg



RT1501CD

PAPER SHREDDER

Model	: ROYALTECH RT1501CD
Insertion Width	: 220mm
Cutting Type	: Cross Cut
Shred Size	: 4 x 39 (mm)
Shred Capacity	: 15 sheets (A4, 70g)
Paper Clip Safe	: Yes
Staple Safe	: Yes
Credit Card Safe	: Yes
CD Safe	: Yes
Noise Level	: 58db
Bin Size	: 22L
Full Basket Warning	: Yes
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 2.6m / min
Thermal / Overload	
Protection	: Yes
Auto Stop & Reverse	
When Paper Jam	: Yes
Power Consumption	: 200W
Dimensions (LxDxH)	: 356x286x498 (mm)
Weight	: 8.1kg



RT2002CD

PAPER SHREDDER

Model	: ROYALTECH RT2002CD
Insertion Width	: 220mm
Cutting Type	: Cross Cut
Shred Size	: 4 x 44 (mm)
Shred Capacity	: 22 sheets (A4, 70g)
Paper Clip Safe	: Yes
Staple Safe	: Yes
Credit Card Safe	: Yes
CD Safe	: Yes
Noise Level	: 60db
Bin Size	: 32L
Full Basket Warning	: Yes
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 3.5m / min
Thermal / Overload	
Protection	: Yes
Auto Stop & Reverse	
When Paper Jam	: Yes
Power Consumption	: 230W
Dimensions (LxDxH)	: 418x310x630 (mm)
Weight	: 18kg




RT3100PLUS

PAPER SHREDDER (A3)

Model	: ROYALTECH RT3100PLUS
Insertion Width	: 310mm
Cutting Type	: Cross Cut
Shred Size	: 4 x 30 (mm)
Shred Capacity	: 32 sheets (A4, 70g)
Paper Clip Safe	: Yes
Staple Safe	: Yes
Credit Card Safe	: Yes
CD Safe	: Yes
Noise Level	: 58db
Bin Size	: 80L
Full Basket Warning	: Yes
Auto Start / Stop	: Yes
Reverse	: Yes
Speed	: 3.5m / min
Thermal / Overload	
Protection	: Yes
Auto Stop & Reverse	
When Paper Jam	: Yes
Power Consumption	: 220W
Dimensions (LxDxH)	: 650x515x1110 (mm)
Weight	: 68.7kg

EYELET MACHINE



RTMBE

MANUAL BANNER EYELET PUNCHER

Model : ROYALTECH RTMBE
 Dimensions (LxDxH) : 140 x 62 x 125 (mm)
 Weight : 4.6kg



BANNER EYELET MOULD

Size : 8mm, 10mm, 12mm, 14mm



DOUBLE EYELET

Size : 8mm, 10mm, 12mm, 14mm
 Color : Silver / Gold
 Quantity : 100 pcs / pkt



RTMBE-SA

SEMI AUTO BANNER EYELET PUNCHER


Model : ROYALTECH RTMBE-SA
 Eyelet Diameter : 6 / 10 / 12 (mm)
 Dimensions (LxDxH) : 470 x 210 x 370 (mm)
 Weight : 7kg



RTE4.0L / RTE5.5L

SINGLE HEAD MANUAL EYELET MACHINE (LONG ARM)

Model : ROYALTECH RTE4.0L / RTE5.5L
 Binding Thickness : ≤ 3mm
 Eyelet Diameter : 4mm / 5.5mm
 Max. Working Lengthways : 165mm
 Vessel Volume : 1200 grains / 900 grains
 Dimensions (LxDxH) : 400 x 210 x 300 (mm)
 Weight : 12kg



RTE4.0 / RTE5.5

SINGLE HEAD MANUAL EYELET MACHINE

Model : ROYALTECH RTE4.0 / RTE5.5
 Binding Thickness : ≤ 3mm
 Eyelet Diameter : 4mm / 5.5mm
 Max. Working Lengthways : 60mm
 Vessel Volume : 1200 grains / 900 grains
 Dimensions (LxDxH) : 440 x 300 x 390 (mm)
 Weight : 13kg



RTE4.0A / RTE5.5A

SINGLE HEAD PEDAL EYELET MACHINE

Model : ROYALTECH RTE4.0A / RTE5.5A
 Binding Thickness : ≤ 4mm
 Eyelet Diameter : 4.0mm / 5.5mm
 Max. Working Lengthways : 60mm
 Vessel Volume : 1200 grains / 900 grains
 Dimensions (LxDxH) : 500 x 470 x 1200 (mm)
 Weight : 38kg



RTDE4.0A / RTDE5.5A

DOUBLE HEAD PEDAL EYELET MACHINE

Model : ROYALTECH RTDE4.0A / RTDE5.5A
 Binding Thickness : ≤ 4mm
 Eyelet Diameter : 4.0mm / 5.5mm
 Max. Working Lengthways : 60mm
 Hole Setting Range : 80 – 130 (mm)
 Vessel Volume : 1200 grains / 900 grains
 Dimensions (LxDxH) : 500 x 470 x 1200 (mm)
 Weight : 43kg



RTES4.0

ELECTRIC SINGLE HEAD EYELET MACHINE

Model : ROYALTECH RTES4.0
 Binding Thickness : ≤ 4mm
 Eyelet Diameter : 4.0mm
 Speed : 55 times / min
 Max. Working Lengthways : 60mm
 Vessel Volume : 1200 grains
 Power Supply : 220V / 50Hz
 Power Consumption : 0.245kW
 Dimensions (LxDxH) : 540 x 475 x 370 (mm)
 Weight : 45kg



RTED4.0

ELECTRIC DOUBLE HEAD EYELET MACHINE

Model : ROYALTECH RTED4.0
 Binding Thickness : ≤ 4mm
 Eyelet Diameter : 4.0mm
 Speed : 55 times / min
 Max. Working Lengthways : 165mm
 Hole Setting Range : 80 – 200 (mm)
 Vessel Volume : 1200 grains
 Power Supply : 220V / 50Hz
 Power Consumption : 0.375kW
 Dimensions (LxDxH) : 650 x 610 x 370 (mm)
 Weight : 65kg



EYELET

Size : 4mm / 5.5mm
 Color : Silver / Gold
 Quantity : 10,000 – 12,000 pcs / pkt


3D PRINTER



RT3DP434

3D PRINTER

Model : ROYALTECH RT3DP434
 Printing Size (Single Head) : 175 x 165 x 165 (mm)
 Printing Thickness : 0.4mm
 Material Thickness : 1.75mm
 Printing Material : PLA/ABS / PETG / TPU
 Nozzle Temperature : 0 – 250 °C
 Baseplate Temperature : 0 – 80 °C
 Power Consumption : 150W
 Dimensions (LxDxH) : 400 x 380 x 430 (mm)
 Weight : 11.5kg



RT3DP555

3D PRINTER (HIGH SPEED)

Model : ROYALTECH RT3DP555
 Printing Size (Single Head) : 280 x 260 x 310 (mm)
 Printing Thickness : 0.4mm
 Material Thickness : 1.75mm
 Printing Material : PLA/ABS / TPU
 Nozzle Temperature : 0 – 260 °C
 Baseplate Temperature : 0 – 100 °C
 Power Consumption : 150W
 Dimensions (LxDxH) : 500 x 500 x 531 (mm)
 Weight : 20.5kg



3D PRINTER PLA MATERIAL

3D PRINTER PLA MATERIAL

Material : PLA
 Material Thickness : 1.75mm
 Printing Temperature : 200 °C
 Color Available : Black, White, Grey, Red, Yellow, Blue
 Dimensions (LxDxH) : 210 x 210 x 75 (mm)
 Weight : 1kg

STICKER / LABEL PRINTER



RT200LP

STICKER & LABEL PRINTER

Model : ROYALTECH RT200LP
 Max. Printing Width : 104mm
 Max. Printing Length : 2286mm
 Resolution : 203 DPI
 Speed : 1.5 / 2 / 3 / 4 (mm / s)
 Font Size : 0 – 8
 Interface : USB 2.0
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 232 x 288 x 156 (mm)
 Weight : 4.8kg



RT300LP


STICKER & LABEL PRINTER

Model : ROYALTECH RT300LP
 Max. Printing Width : 104mm
 Max. Printing Length : 2286mm
 Resolution : 300 DPI
 Speed : 1.5 / 2 / 3 / 4 (mm / s)
 Font Size : 0 – 8
 Interface : USB 2.0
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 232 x 288 x 156 (mm)
 Weight : 4.8kg



SIZE OF COATED STICKER PAPER (WHITE)	QUANTITY
30mm x 20mm	5000
40mm x 30mm	3000
50mm x 30mm	3000
60mm x 40mm	1000
70mm x 40mm	1000
80mm x 50mm	1000
90mm x 30mm	1000

SIZE OF PET STICKER (SILVER)	QUANTITY
30mm x 20mm	2500
40mm x 30mm	2500
50mm x 30mm	2500
60mm x 40mm	1000
70mm x 30mm	1000
80mm x 50mm	800
90mm x 50mm	800



BLACK WAX-BASED RIBBON

Width : 50 / 60 / 70 / 80 / 90 / 100 / 110 (mm)
 Length : 300m
 Core : 25mm
 Material : Coated paper



COLOUR WAX-BASED RIBBON

Width : 110mm
 Length : 300m
 Colour : Red, Green, Blue, White
 Core : 25mm
 Material : Coated paper



BLACK RESIN-BASED RIBBON

Width : 60 / 70 / 80 / 90 / 100 / 110 (mm)
 Length : 300m
 Core : 25mm
 Material : PET Silver paper



COLOUR COATED STICKER PAPER

Size : 80 x 50 (mm)
 Colour : Red, Yellow, Blue, Green, Fluorescent Green

FLATBED PRINTER



RTFB2850

FLATBED PRINTER

Model : ROYALTECH RTFB2850
 Print Size : 280 x 500 (mm)
 Print Head : Epson DX5
 Print Color : C M Y K + 2W
 Print Resolution : 2880 x 1440 x 720 (dpi)
 Printing Speed : 3 min / 1 pcs
 Interface : USB 2.0
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 1160 x 650 x 500 (mm)
 Weight : 61kg



RTFB2850UV

UV FLATBED PRINTER

Model : ROYALTECH RTFB2850UV
 Print Size : 280 x 500 (mm)
 Print Head : Epson DX5
 Print Color : C M Y K + 4W
 Print Resolution : 5760 x 2880 x 1440 x 720 (dpi)
 Printing Speed : 9 min / Full page
 Interface : USB 2.0
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 870 x 750 x 550 (mm)
 Weight : 81kg



RTFB6090UV

UV FLATBED PRINTER

Model : ROYALTECH RTFB6090UV
 Print Size : 600 x 900 (mm)
 Print Head : Epson i3200-u1
 Print Color : CMYK + W (Double Head) / CMYK + W + V (3 Head)
 Print Resolution : 720 x 1200 x 3200 (dpi)
 Printing Height : 0 – 13 (cm)
 Printing Speed : 4 pass / 12 m²
 Print Materials : Metal, Glass, Acrylic, PVC, Leather, Wood, Ceramic, Crystal & etc.
 Software : Ripprint / Photoprint
 Operating System : Win 7 / Win 10
 Dimensions (LxDxH) : 1520 x 1650 x 720 (mm)
 Weight : 200kg



PAD PRINTER



RT2050PP

ELECTRIC PAD PRINTER

Model : ROYALTECH RT2050PP
 Print Size : 20 x 50 (mm)
 Pad Height : 380mm
 Plate Size : 85 x 175 (mm)
 Printing Speed : 3600 times / h
 Dimensions (LxDxH) : 400 x 320 x 460 (mm)
 Weight : 23kg



RT1550PP

ELECTRIC PAD PRINTER

Model : ROYALTECH RT1550PP
 Print Size : 15 x 50 (mm)
 Pad Height : 380mm
 Plate Size : 160mm (Round shape)
 Printing Speed : 3600 times / h
 Dimensions (LxDxH) : 560 x 405 x 435 (mm)
 Weight : 21kg



RT6060PP

ELECTRIC PAD PRINTER

Model : ROYALTECH RT6060PP
 Print Size : 60 x 60 (mm)
 Pad Height : 300mm
 Plate Size : 85 x 175 (mm)
 Printing Speed : 0 – 100 times / min
 Dimensions (LxDxH) : 470 x 300 x 400 (mm)
 Weight : 22kg



PAPER JOGGER



RTPJ100

ELECTRIC PAPER JOGGER

Model : ROYALTECH RTPJ100
 Max. Paper Size : A5 – A3
 Paper Thickness : ≥ 50g
 Power Consumption : 400W
 Dimensions (LxDxH) : 410 x 450 x 570 (mm)
 Weight : 26kg



RTPJ1000

ELECTRIC PAPER JOGGER

Model : ROYALTECH RTPJ1000
 Max. Paper Size : A5 – A3
 Paper Thickness : ≥ 50g
 Power Consumption : 400W
 Dimensions (LxDxH) : 410 x 450 x 1300 (mm)
 Weight : 44kg

HAND SEALER



RTPFS300

HAND SEALER

Model : ROYALTECH RTPFS300
 Sealer Length : 300mm
 Sealer Width : 2mm
 Sealer Thickness : 0.01 – 0.8 (mm)
 Power Supply : 220V
 Dimensions (LxDxH) : 420 x 90 x 150 (mm)
 Weight : 1.8kg



RTPFS400

HAND SEALER

Model : ROYALTECH RTPFS400
 Sealer Length : 400mm
 Sealer Width : 2mm
 Sealer Thickness : 0.01 – 0.8 (mm)
 Power Supply : 220V
 Dimensions (LxDxH) : 540 x 90 x 170 (mm)
 Weight : 2.7kg

STRAPPING MACHINE



RTSTR10

HIGH SPEED ELECTRIC STRAPPING MACHINE

Model : ROYALTECH RTSTR10
 Min. Strapping Size : > 10mm
 Max. Strapping Size : Unlimited
 Fusion Mode : Thermal Fusion
 Strapping : 5 – 15.5 (mm)
 Power Supply : 220V / 50Hz
 Power Consumption : 0.4kW
 Dimensions (LxDxH) : 785 x 545 x 750 (mm)



RTSTR60

ELECTRIC STRAPPING MACHINE

Model : ROYALTECH RTSTR60
 Min. Strapping Size : 60 x 30 (mm)
 Max. Strapping Size : Unlimited
 Fusion Mode : Thermal Fusion
 Strapping : 6 – 15 (mm)
 Power Supply : 220V / 50Hz
 Power Consumption : 0.6kW
 Dimensions (LxDxH) : 1500 x 670 x 450 (mm)



PP STRAPPING BELT - WHITE

Length : 1500m



PP STRAPPING BELT - TRANSPARENT

Length : 1500m

STAPLER



RT3000

HEAVY DUTY STAPLER

Model : ROYALTECH RT3000
 Max. Capacity : 210 sheets (70g)
 Metal Construction : Yes
 Bullet Size : 23/6 – 23/23
 Dimensions (LxDxH) : 387 x 112 x 300 (mm)
 Weight : 1.88kg



RTMS25

MINI LONG ARM STAPLER

Model : ROYALTECH RTMS25
 Max. Capacity : 25 sheets (80g)
 Throat Depth : 317mm
 Bullet Size : 24/6 & 26/6
 Dimensions (LxDxH) : 410 x 30 x 320 (mm)
 Weight : 0.56kg



RT5000

LONG ARM STAPLER


Model : ROYALTECH RT5000
 Max. Capacity : 210 sheets (70g)
 Metal Construction : Yes
 Bullet Size : 23/6 – 23/23
 Throat Depth : 250mm
 Dimensions (LxDxH) : 498 x 66 x 188 (mm)
 Weight : 9.1kg



RTDES30

DOUBLE END HEAVY DUTY STAPLER

Model : ROYALTECH RTDES30
 Max. Capacity : 30 sheets (80g)
 Stapling : Double head
 Dimensions (LxDxH) : 200 x 170 x 45 (mm)
 Weight : 2kg



RT106E

ELECTRIC STAPLER

Model : ROYALTECH RT106E
 Max. Capacity : 40 sheets (70g)
 Bullet Size : 66/6 & 66/8
 Throat Depth (Flat) : 100mm / 3.94"
 Saddle Stapling : Up to A3 (Folded)
 Foot Paddle : Yes
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 250 x 250 x 420 (mm)
 Weight : 5.6kg



RT106EDH

ELECTRIC STAPLER (DOUBLE HEAD)


Model : ROYALTECH RT106EDH
 Max. Capacity : 40 sheets (70g)
 Bullet Size : 66/6 & 66/8
 Throat Depth (Flat) : 100mm / 3.94"
 Saddle Stapling : Up to A3 (Folded)
 Foot Paddle : Yes
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 510 x 310 x 550 (mm)
 Weight : 11.2kg



RT101E

ELECTRIC WIRE STAPLER MACHINE

Model : ROYALTECH RT101E
 Max. Thickness : 0.5 – 6 (mm)
 Binding Speed : 100 – 150 times / min
 Saddle Stapling : Up to A3 (Folded)
 Steel Wire Size : 25# stitching wire / diameter 0.5 – 0.6 mm
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 400 x 380 x 690 (mm)
 Weight : 25kg



RT101EDH

ELECTRIC WIRE STAPLER MACHINE (DOUBLE HEAD)


Model : ROYALTECH RT101EDH
 Max. Thickness : 0.5 – 6 (mm)
 Binding Speed : 100 – 150 times / min
 Min. Distance between two head : 35mm
 Saddle Stapling : Up to A3 (Folded)
 Steel Wire Size : 25# stitching wire / diameter 0.5 – 0.6 mm
 Power Supply : 220V / 50Hz
 Dimensions (LxDxH) : 400 x 410 x 800 (mm)
 Weight : 61kg



RT202EDH

ELECTRIC WIRE STAPLER MACHINE (DOUBLE HEAD)

Model : ROYALTECH RT202EDH
 Max. Thickness : 0.2 – 4 (mm)
 Saddle Stapling : Up to A3 (Folded)
 Speed : 80 – 120 / min
 Foot Paddle : Yes
 Power Supply : 230V / 50Hz
 Dimensions (LxDxH) : 750x500x1360 (mm)
 Weight : 200kg



STAPLER BULLET


Size : 66/6 & 66/8
 Quantity : 5000 pcs / box



STITCHING WIRE

Weight : 2.5kg

PAPER TRIMMER & CUTTER



RTDPCA4 (WOOD)

DESKTOP MANUAL PAPER CUTTER

Model : ROYALTECH RTDPCA4
 Cutting Size : A4
 Cutting Capacity : 5 pcs (70g)
 Weight : 2kg



RTDPCA4 (METAL)

DESKTOP MANUAL PAPER CUTTER

Model : ROYALTECH RTDPCA4
 Cutting Size : A4
 Cutting Capacity : 5 pcs (70g)
 Weight : 2kg



RTTA4

DESKTOP PAPER TRIMMER


Model : ROYALTECH RTTA4
 Cutting Size : A4
 Working Width : 320mm
 Cutting Capacity : 8 pcs (70g)
 Dimensions (LxDxH) : 565 x 365 x 100 (mm)
 Weight : 3kg



RTDPCA3 (WOOD)

DESKTOP MANUAL PAPER CUTTER

Model : ROYALTECH RTDPCA3
 Cutting Size : A3
 Cutting Capacity : 5 pcs (70g)
 Weight : 3kg



RTDPCA3 (METAL)

DESKTOP MANUAL PAPER CUTTER

Model : ROYALTECH RTDPCA3
 Cutting Size : A3
 Cutting Capacity : 5 pcs (70g)
 Weight : 3kg



RTTA3

DESKTOP PAPER TRIMMER

Model : ROYALTECH RTTA3
 Cutting Size : A3
 Working Width : 460mm
 Cutting Capacity : 8 pcs (70g)
 Dimensions (LxDxH) : 650 x 365 x 100 (mm)
 Weight : 3.6kg



RTMTA4

MULTI FUNCTION DESKTOP PAPER TRIMMER

Model : ROYALTECH RTMTA4
 Cutting Size : A4
 Working Width : 320mm
 Cutting Capacity : 10 pcs (70g)
 Blade : Straight, Perforating, Curve
 Dimensions (LxDxH) : 420 x 275 x 77 (mm)
 Weight : 1.3kg



RTMTA3

MULTI FUNCTION DESKTOP PAPER TRIMMER

Model : ROYALTECH RTMTA3
 Cutting Size : A3
 Working Width : 460mm
 Cutting Capacity : 10 pcs (70g)
 Blade : Straight, Perforating, Curve
 Dimensions (LxDxH) : 456 x 325 x 77 (mm)
 Weight : 1.7kg



RTTA1

DESKTOP PAPER TRIMMER

Model : ROYALTECH RTTA1
 Cutting Size : A1
 Working Width : 670mm
 Cutting Capacity : 8 pcs (70g)
 Dimensions (LxDxH) : 875 x 365 x 100 (mm)
 Weight : 8.9kg



RT3022/A0

PAPER TRIMMER

Model : ROYALTECH RT3022/A0
 Cutting Size : 1300mm (51")
 Cutting Capacity : 8 pcs (80g)
 With Stand : Yes
 With Rubbish Bag : Yes
 Dimensions (LxDxH) : 1486 x 510 x 940 (mm)
 Weight : 19.5kg



RT3026/A0

PAPER TRIMMER

Model : ROYALTECH RT3026/A0
 Cutting Size : 1500mm (59")
 Cutting Capacity : 8 pcs (80g)
 With Stand : Yes
 With Rubbish Bag : Yes
 Dimensions (LxDxH) : 1486x510x940 (mm)
 Weight : 25.2kg



BLADE

PAPER TRIMMER BLADE

Suitable for : RTTA4, RTTA3, RTTA1, RT3022, RT3026

CHEQUE WRITER



RT310

ELECTRONIC CHEQUE WRITER

Model : ROYALTECH RT310
 Number of Digit : 15
 Symbol of Currency : 16
 Power Consumption : 3.5W
 Calculator : Yes
 To Change Currencies : By Coding
 Dimensions (LxDxH) : 285 x 155 x 240 (mm)
 Weight : 3kg



RTCW330

ELECTRONIC CHEQUE WRITER

Model : ROYALTECH RTCW330
 Number of Digit : 16
 Symbol of Currency : 5
 Power Consumption : 1.3W
 Calculator : Yes
 To Change Currencies : By Coding
 Dimensions (LxDxH) : 246 x 117 x 126 (mm)
 Weight : 1.6kg



RTCP310

ELECTRONIC MULTI-FUNCTION CHEQUE PRINTER

Model : ROYALTECH RTCP310
 Dimensions (LxDxH) : 276x260x115 (mm)
 Weight : 2.5kg
 • Used to print entire cheque at one time:
 Date, Payee, and Amount by letter & number.
 • Multi-currency.
 • Size of font can be change.
 • Printing position adjustable.
 • LED display.



RTSCW

SOFTWARE CHEQUE WRITER

Model : ROYALTECH RTSCW
 • Secures you against 'cheque frauds' by ensuring the amount you enter is the amount you issued.
 • Better alternative to expensive conventional manual or electronic cheque writer machines as it gives you more value for your money.
 • Printing, no more errors, no more cheque templates.
 • Support Multi-Bank cheque templates.
 • Report Generator features robust report on any field.
 • Printer friendly, works on most desk jet, bubble jet and laser jet printer.



RT310 INK ROLLER



RTCW330 INK ROLLER



RTCP310 INK ROLLER

NOTE & COIN COUNTING MACHINE / MONEY DETECTOR



RT992

ELECTRONIC NOTE COUNTING MACHINE

Model : ROYALTECH RT992
 Hopper Capacity : 200 notes
 Stacker Capacity : 200 notes
 Note Size Range : 50x110 – 90x175 (mm)
 Counting Speed : 900 notes / min
 Power Supply : 220V / 50Hz
 Power Consumption : 80W
 Batch Display : 3 Digits LED
 Count Display : 3 Digits LED
 Ultra Violet (UV) Forgery Detection : Yes
 Friction Roller Feed System : Yes
 Auto Start / Stop : Yes
 Dimensions (LxDxH) : 300 x 238 x 163 (mm)
 Weight : 5.5kg



RT2108

ELECTRONIC NOTE COUNTING MACHINE

Model : ROYALTECH RT2108
 Hopper Capacity : 130 notes
 Stacker Capacity : 130 notes
 Note Size Range : 50x100 – 90x175 (mm)
 Counting Speed : 1000 notes / min
 Power Supply : 220V / 50Hz
 Power Consumption : 60W
 Batch Display : 4 Digits LED
 Count Display : 3 Digits LED
 Ultra Violet (UV) Forgery Detection : Yes
 Friction Roller Feed System : Yes
 Auto Start / Stop : Yes
 Dimensions (LxDxH) : 292 x 246 x 178 (mm)
 Weight : 7.5kg



RT2115

ELECTRONIC NOTE COUNTING MACHINE

Model : ROYALTECH RT2115
 Hopper Capacity : 200 notes
 Stacker Capacity : 200 notes
 Note Size Range : 50x50 – 90x190 (mm)
 Counting Speed : 800– 1500 notes / min (Adjustable)
 Power Supply : 220V / 50Hz
 Power Consumption : 75W
 Batch Display : 4 Digits LED
 Count Display : 4 Digits LED
 Ultra Violet (UV) Forgery Detection : Yes
 Friction Roller Feed System : Yes
 Auto Start / Stop : Yes
 Dimensions (LxDxH) : 270 x 300 x 220 (mm)
 Weight : 5.7kg



RTCCM1

ELECTRIC COIN COUNTING MACHINE

Model : ROYALTECH RTCCM1
 Hopper Capacity : 500 units
 Each Coin Drawer : 50 - 350 units
 Counting Speed : 270 units / min
 Batch Present No. Display : 3 Digits LED
 Counting No. Display : 4 Digits LED
 Power Supply : 220V / 50Hz
 Power Consumption : 450W
 Dimensions (LxDxH) : 345 x 306 x 260 (mm)
 Weight : 4kg



RTMD1

MONEY DETECTOR

Model : ROYALTECH RTMD1
 Ultra Violet (UV) Lamp : 32W
 Dimensions (LxDxH) : 180 x 100 x 100 (mm)
 Weight : 0.37kg

DTF MACHINE



RTDTF330

DIRECT TO GARMENT PRINTING

Model : ROYALTECH RTDTF330
 Printer Head : Epson
 Max. Printing Size : 330 x 600 (mm)
 Print Resolution : 5760 x 2880 (DPI)
 Color : CMYK + WW
 Powder Shaker Width : 330mm
 Powder Shaker Speed : Adjustable
 Powder Shaker Volume : Adjustable
 Dimensions (LxDxH) : 460 x 610 x 750 (mm) Printer / 900 x 550 x 500 (mm) Powder Shaker
 Weight : 16kg (Printer) / 30kg (Powder Shaker)



DTF HOT ROLL FILM

DTF HOT ROLL FILM
 Size : 300mm x 100m



DTF HOT MELT POWDER

DTF HOT MELT POWDER
 Weight : 1kg



DTF SAMPLE 1



DTF SAMPLE 2



DTF SAMPLE 3



DTF SAMPLE 4

PAPER COLLECTOR



RTPC6B

PAPER COLLATOR (TOUCH SCREEN)

Model : ROYALTECH RTPC6B
Feed Station : 6 Bins
Station Capacity : 300 sheets (70gsm)
Speed : A4 (3500 sets / h) A3 (3200 sets / h)
Paper Weight : 50 – 120 gsm
Paper Type : NCR paper, Copy paper, Offset paper
Max. Paper Size : 330 x 490 (mm)
Min. Paper Size : 100 x 150 (mm)
Stacker Capacity : 900 sheets (70gsm)
Power Supply : 240V



RTPC10B

PAPER COLLATOR (TOUCH SCREEN)

Model : ROYALTECH RTPC10B
Feed Station : 10 Bins
Station Capacity : 300 sheets (70gsm)
Speed : A4 (3500 sets / h) A3 (3200 sets / h)
Paper Weight : 50 – 120 gsm
Paper Type : NCR paper, Copy paper, Offset paper
Max. Paper Size : 330 x 490 (mm)
Min. Paper Size : 100 x 150 (mm)
Stacker Capacity : 900 sheets (70gsm)
Power Supply : 240V



RTPC12B

PAPER COLLATOR (TOUCH SCREEN)

Model : ROYALTECH RTPC12B
Feed Station : 12 Bins
Station Capacity : 300 sheets (70gsm)
Speed : A4 (3500 sets / h) A3 (3200 sets / h)
Paper Weight : 50 – 120 gsm
Paper Type : NCR paper, Copy paper, Offset paper
Max. Paper Size : 330 x 490 (mm)
Min. Paper Size : 100 x 150 (mm)
Stacker Capacity : 900 sheets (70gsm)
Power Supply : 240V

PAPER COLLECTOR



PAPER COLLATOR (TOUCH SCREEN) + JOGGER

Model	: ROYALTECH RTPC10BX2
Feed Station	: 10 Bins
Station Capacity	: 300 sheets (70gsm)
Speed	: A4 (3500 sets / h) A3 (3200 sets / h)
Paper Weight	: 50 – 120 gsm
Paper Type	: NCR paper, Copy paper, Offset paper
Max. Paper Size	: 330 x 490 (mm)
Min. Paper Size	: 100 x 150 (mm)
Stacker Capacity	: 900 sheets (70gsm)
Power Supply	: 240V

RTPC10B+

PAPER COLLATOR (TOUCH SCREEN) + STITCHING FOLDER

Model	: ROYALTECH RTPC10B+
Feed Station	: 10 Bins
Station Capacity	: 300 sheets (70gsm)
Speed	: A4 (3500 sets / h) A3 (3200 sets / h)
Paper Weight	: 50 – 120 gsm
Paper Type	: NCR paper, Copy paper, Offset paper
Max. Paper Size	: 330x490 (mm)
Min. Paper Size	: 100x150 (mm)
Stacker Capacity	: 900 sheets (70gsm)
Power Supply	: 240V

STITCHING FOLDER

Paper Size (Saddle Stitching)	: Landscape 180x345 (mm) / Portrait 250x446 (mm)
Paper Size (Side Stitching)	: Landscape 180x345 (mm) / Portrait 135x228 (mm)
Speed	: 3200 booklets / h (A4)
Paper Capacity	: 30 sheets (70gsm)
Power Supply	: 240V



ACCESSORIES



PLASTIC COMB




PRESS BINDER




WIRE-O



STEEL SPIRAL COIL




LAMINATING POUCH FILM



LAMINATING ROLL FILM



PHOTO COLD FILM



COLD LAMINATING FILM



SLOT PUNCHER



CORNER ROUND PUNCHER



PHOTO DIE-CUT CUTTER 22x32



PHOTO DIE-CUT CUTTER 25x32



PHOTO DIE-CUT CUTTER 32x40



PHOTO DIE-CUT CUTTER 35x45



PHOTO DIE-CUT CUTTER 40x50



PHOTO DIE-CUT CUTTER 50x70



DESKTOP PHOTO DIE-CUT CUTTER 22x32



DESKTOP PHOTO DIE-CUT CUTTER 25x32



DESKTOP PHOTO DIE-CUT CUTTER 32x40



DESKTOP PHOTO DIE-CUT CUTTER 35x45




DESKTOP PHOTO DIE-CUT CUTTER 40x50



DESKTOP PHOTO DIE-CUT CUTTER 50x50



DIGITAL COLOR LASER FOIL



3D DIGITAL LASER FOIL

PLASTIC COMB SIZE CHART

SIZE	BINDING CAPACITY
6mm (1/4")	15 – 25 sheets
8mm (5/16")	25 – 45 sheets
10mm (3/8")	45 – 60 sheets
11mm (7/16")	60 – 75 sheets
12mm (1/2")	75 – 95 sheets
14mm (9/16")	95 – 110 sheets
16mm (5/8")	110 – 125 sheets
18mm (11/16")	125 – 150 sheets
20mm (3/4")	150 – 200 sheets
22mm (7/8")	200 – 230 sheets
25mm (1")	230 – 270 sheets
28mm (1 1/8")	270 – 300 sheets
32mm (1 1/4")	300 – 320 sheets
38mm (1 1/2")	320 – 350 sheets
45mm (1 3/4")	350 – 420 sheets
51mm (2")	420 – 500 sheets

STEEL SPIRAL COIL SIZE CHART

SIZE	BINDING THICKNESS (mm)
6.4mm (1/4")	3.4
7.9mm (5/16")	4.9
9.5mm (3/8")	6.5
11.1mm (7/16")	8.1
12.7mm (1/2")	9.7
14.3mm (9/16")	11.3
15.9mm (5/8")	12.9
19.1mm (3/4")	15.1
22.2mm (7/8")	18.2
25.4mm (1")	20.4
28.6mm (1 1/8")	23.6
31.8mm (1 1/4")	25.8
38.1mm (1 1/2")	32.1
44.5mm (1 3/4")	38
50.8mm (2")	42.8

LAMINATING POUCHES FILM SIZE CHART

SIZE	QTY PER BOX
54mm X 86mm X 150u (IC)	100 pcs
60mm X 90mm X 150u (N/C)	100 pcs
65mm X 95mm X 150u (N/C)	100 pcs
70mm X 100mm X 150u (Pass)	100 pcs
75mm X 110mm X 150u (Pass)	100 pcs
95mm X 135mm X 100u (3R)	100 pcs
111mm X 154mm X 100u (A6)	100 pcs
134mm X 188mm X 100u (B6)	100 pcs
154mm X 216mm X 100u (A5)	100 pcs
188mm X 263mm X 100u (B5)	100 pcs
220mm X 310mm X 100u (A4)	100 pcs
222mm X 336mm X 100u (F4)	100 pcs
265mm X 370mm X 100u (B4)	100 pcs
303mm X 426mm X 100u (A3)	100 pcs
426mm X 600mm X 100u (A2)	100 pcs
65mm X 95mm X 200u (N/C)	100 pcs
220mm X 310mm X 125u (A4)	100 pcs

DOUBLE WIRE-O 2:1 SIZE CHART

SIZE	PITCH	BINDING CAPACITY
6.4mm (1/4")	2:1	25 – 40 sheets
7.9mm (5/16")	2:1	40 – 55 sheets
9.5mm (3/8")	2:1	55 – 70 sheets
11.1mm (7/16")	2:1	70 – 80 sheets
12.7mm (1/2")	2:1	80 – 95 sheets
14.3mm (9/16")	2:1	95 – 120 sheets
15.9mm (5/8")	2:1	120 – 130 sheets
19.1mm (3/4")	2:1	130 – 160 sheets
22.2mm (7/8")	2:1	160 – 175 sheets
25.4mm (1")	2:1	175 – 195 sheets
28.6mm (1 1/8")	2:1	195 – 235 sheets
31.8mm (1 1/4")	2:1	235 – 275 sheets
38.1mm (1 1/2")	2:1	315 – 350 sheets

DOUBLE WIRE-O 3:1 SIZE CHART

SIZE	PITCH	BINDING CAPACITY
6.4mm (1/4")	3:1	25 – 40 sheets
7.9mm (5/16")	3:1	40 – 55 sheets
9.5mm (3/8")	3:1	55 – 70 sheets
11.1mm (7/16")	3:1	70 – 80 sheets
12.7mm (1/2")	3:1	80 – 95 sheets
14.3mm (9/16")	3:1	95 – 120 sheets
15.9mm (5/8")	3:1	120 – 145 sheets



ROYALTECH®


'A Trusted Brand'



SHOWROOM DEMO



DELIVERY



MONTHLY RESTOCK


REPAIR & SERVICE



IMPORTER , EXPORTER & DISTRIBUTOR

ASIA PLUS OFFICE AUTOMATION SDN. BHD.
(832982-V)

No. 42, (G/Floor), Jalan PJS 1/46, Petaling Utama, Off Jalan Klang Lama,
46000 Petaling Jaya, Selangor Darul Ehsan, Malaysia.

Hunting Line : 1700-81-9906 Tel: 603-7785 8199 Fax: 603-7785 6199
Email: asiaplus-oa@hotmail.com  : www.facebook.com/asiaplus.oa

Web: www.asiaplusoa.com